WINCHESTER®
COOEY®

1969 SPORTING ARMS AND AMMUNITION CATALOGUE

WINCHESTER

May 1st, 1969.

MODEL	DESCRIPTION	HOWDEN NUMBER	RETAIL
G29001	.22 Semi-Auto	802-5454	81.95
G25001	.22 Lever	802-5397	86.95
G25501	.22 Mag. Lever	802-5496	95.50
G27003	.22 Slide Action	802-5413	87.95
G27501	.22 Mag. Slide Action	802-5538	95.50
G15002	.22 Lever Carbine	802-5363	75.95
G19001	.22 Semi-Auto	802-5371	66.95
G19002	.22 Semi-Auto Carbine	802-5389	71.95
G12101	.22 Single Bolt	802-5256	35.50
G12102	.22 Single Bolt (youth)	802-5264	35.50
G12111	.22 Single Bolt Deluxe	802-5280	40.50
G13101	.22 Rep. Bolt Clip	802-5298	56.95
G14101	.22 Rep. Bolt Tube	802-5322	61.95
G7061	Bolt Action Std. .225	802-5652	199.95
G7065	Bolt Action Std. .22-250	802-5769	199.95
G7062	Bolt Action Std. .243	802-5694	199.95
G7063	Bolt Action Std. .270	802-5678	199.95
G7064	Bolt Action Std. .30-06	802-5777	199.95
G7060	Bolt Action Std. .308	802-5819	199.95
G7045	Bolt Action Mag. .264	802-5850	214.95
G7036	Bolt Action Mag. .300	802-5884	214.95
G7014	Bolt Action Varmint .225	802-5579	214.95
G7015	Bolt Action Varmint .22-250	802-5629	214.95
G7012	Bolt Action Varmint .243	802-5611	214.95
G9412	Lever Action Carbine .30-30	802-6049	114.95
G9423	Lever Action Carbine .32 SP	802-6080	114.95
G9444	Lever Action Carbine .44 REM Mag	802-6106	125.95
G9456G	Golden Spike Carbine .30-30	802-6197	147.95
G6701 *	Can. Centennial Rifle .30-30	802-6213	150.00
G6702 *	Can. Centennial Carbine .30-30	802-6221	150.00
	(*- available until present stock exhausted)		
G8811	Lever Action Rifle .243	802-5900	184.95
G8814	Lever Action Rifle .284	802-5942	184.95
G8812	Lever Action Rifle .308	802-6007	184.95
G8822	Lever Action Carbine.308	802-6056	174.95
G1001	Semi-Auto Rifle .243	802-6163	199.95
G1004	Semi-Auto Rifle .284	802-6205	199.95
G1003	Semi-Auto Rifle .308	802-6247	199.95
G10024	Semi-Auto Carbine .308	802-6270	189.95

MODEL	DESCRIPTION	HOWDEN NUMBER	RETAIL
G140031	Auto. Shotgun Skeet 12-26-SK	802-7542	254.95
G140032	Auto. Shotgun Skeet 20-26-SK	802-7583	254.95
G220001	Pump Shotgun Plain 12-30-F	802-6254	106.95
G220002	Pump Shotgun Plain 12-28-F	802-6262	106.95
G220003	Pump Shotgun Plain 12-28-M	802-6296	106.95
G240001	Auto. Shotgun Plain 12-30-F	802-6791	149.95
G240002	Auto. Shotgun Plain 12-28-F	802-6817	149.95
G240003	Auto. Shotgun Plain 12-28-M	802-6833	149.95
G37002	Shotgun Single 12-30-F	802-5561	34.95
G37011	Shotgun Single 16-30-F	802-5603	34.95
G37022	Shotgun Single 20-28-F	802-5645	34.95
G37041	Shotgun Single 410-26-F	802-5686	34.95
G1016	Over & Under 12-30-F&F M/C	802-7617	380.00
G1018	Over & Under 12-30-F&F Reg.	802-7625	370.00
G1012	Over & Under 12-30-F&M Magnum	802-7724	350.00
G1011	Over & Under 12-30-F&M Field	802-7732	350.00
G1013	Over & Under 12-28-F&M Field	802-7740	350.00
G1015	Over & Under 12-26-I C&M	802-7757	350.00
G10110	Over & Under 12-28-Skeet	802-7807	350.00
G10120	Over & Under 20-28-Skeet	802-7815	350.00
G10123	Over & Under 20-28-F&M	802-7864	350.00
G10125	Over & Under 20-26-I C&M	802-7872	350.00

WINCHESTER

MODEL	DESCRIPTION	HOWDEN NUMBER	RETAIL
G120001	Pump Shotgun 12-30-F	802-6288	132.95
G120002	Pump Shotgun 12-28-F	802-6320	132.95
G120003	Pump Shotgun 12-28-M	802-6361	132.95
G120012	Pump Shotgun 16-28-F	802-6403	132.95
G120013	Pump Shotgun 16-28-M	802-6445	132.95
G120021	Pump Shotgun 20-28-F	802-6486	132.95
G120023	Pump Shotgun 20-28-M	802-6528	132.95
G120051	Pump Shotgun Vent 12-30-F	802-6569	162.95
G120052	Pump Shotgun Vent 12-28-F	802-6601	162.95
G120053	Pump Shotgun Vent 12-28-M	802-6643	162.95
G120071	Pump Shotgun Vent 20-28-F	802-6684	162.95
G120073	Pump Shotgun Vent 20-28-M	802-6726	162.95
G120036	Pump Shotgun Trap 12-30-F-MC	802-6767	252.95
G120035	Pump Shotgun Trap 12-30-F	802-6809	242.95
G120031	Pump Shotgun Skeet 12-26	802-6825	242.95
G120032	Pump Shotgun Skeet 20-26	802-6866	242.95
G120041	Pump Shotgun Mag. PL 12-30-F	802-6544	154.95
G120027	Pump Shotgun Mag. PL 20-28-F	802-6536	154.95
G120054	Pump Shotgun Mag. Vent. 12-30-F	802-6551	184.95
G120077	Pump Shotgun Mag. Vent. 20-28-F	802-6577	184.95
G140001	Auto. Shotgun PL 12-30-F	802-6908	192.95
G140002	Auto. Shotgun PL 12-28-F	802-6940	192.95
G140003	Auto. Shotgun PL 12-28-M	802-6981	192.95
G140012	Auto. Shotgun PL 16-28-F	802-7021	192.95
G140013	Auto. Shotgun PL 16-28-M	802-7062	192.95
G140021	Auto. Shotgun PL 20-28-F	802-7104	192.95
G140023	Auto. Shotgun PL 20-28-M	802-7146	192.95
G140051	Auto. Shotgun Vent 12-30-F	802-7187	219.95
G140052	Auto. Shotgun Vent 12-28-F	802-7229	219.95
G140053	Auto. Shotgun Vent 12-28-M	802-7260	219.95
G140062	Auto. Shotgun Vent 16-28-F	802-7302	219.95
G140063	Auto. Shotgun Vent 16-28-M	802-7344	219.95
G140071	Auto. Shotgun Vent 20-28-F	802-7385	219.95
G140073	Auto. Shotgun Vent 20-28-M	802-7427	219.95
G140036	Auto. Shotgun Trap MC 12-30-F	802-7500	264.95
G140035	Auto. Shotgun Trap R 12-30-F	802-7468	254.95

COOEY

May 1st, 1969.

MODEL	DESCRIPTION	HOWDEN NUMBER	RETAIL
C3901	.22 Single (Youth)	802-4937	21.95
C75002	.22 Single Deluxe Bolt	802-5017	26.95
C60001	.22 Rep. Bolt Action	802-5058	37.95
C6401	.22 Semi-Auto	802-5090	45.95
C6402	.22 Semi-Auto Deluxe	802-5132	49.95
C710060	Bolt Action Rifle .308	802-5702	110.95
C710061	Bolt Action Rifle .255	802-5710	110.95
C710062	Bolt Action Rifle .243	802-5728	110.95
C710063	Bolt Action Rifle .270	802-5736	110.95
C710064	Bolt Action Rifle .30-06	802-5744	110.95
C710020	Bolt Action Carbine.308	802-5751	110.95
C84000	Shotgun Single 12 ga. 36"	802-5173	38.00
C84002	Shotgun Single 12 ga. 30"	802-5199	34.95
C84011	Shotgun Single 16 ga. 30"	802-5231	34.95
C84022	Shotgun Single 20 ga. 28"	802-5272	34.95
C84035	Shotgun Single 28 ga. 28"	802-5314	34.95
C84041	Shotgun Single 410 ga. 26"	802-5355	34.95

INDEX

Model	Page
CENTER FIRE RIFLE SECTION	1
Model 70's	2-4
Model 770's	5
Model 88's and Model 100's	6-8
Model 94's	9-12
RIM FIRE RIFLE SECTION	13
Models 121, 131, 141	14
Model 250's, and Model 255	15
Model 270 and Model 275	16
Model 290's	17
Model 150 and Model 190	18
Model 52D and Model 52	19
SHOTGUN SECTION	20
Model 2200 and Model 2400	21
Model 1200's	22-24, 28
Model 1400's	25-28

Model	Page
Model 101's	29-32
Model 12 and Model 21	32
Model 370's	33
WINCHESTER-COOEY	34
Model 39 and Model 750	35
Model 600 and Model 64's	36
Model 710's	3
Model 840's	3
WINCHESTER AMMUNITION	39
Shot Shells	39, 40
Rim Fire Ammunition	41
Center Fire Ammunition	41-43
Ballistics Guide	44-48
Footnotes	49
SKEET AND TRAP EQUIPMENT	50-52

ALL PRICES SHOWN ARE SUGGESTED RETAIL PRICES.

Center Fire Rifles and Carbines.

When hunters meet and talk, their conversation always gets around to favorite sporting arms. And Winchester center fire rifles and carbines invariably become the main topic of discussion. The craftsmanship, dependability, and accuracy of these fine sporting arms inspires confidence in their performance and pride of ownership.

Here are Winchesters to meet any challenge:
• The world-famous Model 70 in seven handsome bolt action styles, including a new Mannlicher-style stock. • New this year, the Model 770 combines economy and bolt action dependability in a handsome rifle, available in standard or Magnum calibers • The Model 88 rifle and carbine give the hunter a choice of modern lever action accuracy • The Model 100 rifle and carbine offer modern, fast-firing, streamlined automatic shooting. • Traditional Winchester Model 94 family boasts a new lever action carbine in 44 Magnum caliber, adding to its reputation as the greatest deer gun of all time. • Three new firearms carry on the Winchester tradition of Model 94 Commemorative excellence — for both collectors and hunters, the Winchester Model 94 Theodore Roosevelt Commemorative Rifle and Carbine and the Winchester Model 94 Golden Spike Commemorative Carbine.

Whatever Winchester center fire rifle or carbine the sportsman selects, his choice is a masterpiece in wood and steel. Performance-proved and versatile. A sporting arm that he will be proud to own, show, and shoot.





Proven performance on the shooting range or in the field.

MODEL 70 VARMINT. Smaller game cannot escape the powerful reach and renowned accuracy of the stylish Model 70 Varmint rifle. The heavyweight 24" barrel is of swaged Winchester Proof Steel. Blocks are furnished with the rifle for target-type scope mounts. A rugged composition butt plate caps the American walnut stock with Monte Carlo, fluted comb, and undercut cheek piece. The anti-bind bolt device and stainless steel magazine follower add up to smoother, faster, trouble-free operation. The receiver has a deep, mirror-blue finish.

MODEL 70 TARGET. The Winchester Model 70 Target rifle hits the target with competition shooters the world over. Contoured aluminum hand stop fits right or left handers. Full pistol grip, high-comb Marksman stock, non-slip rubber butt pad. The 24" barrel is tapped for standard micrometer sights and equipped with blocks for target scope mounts. Clip slot in receiver bridge speeds reloading in rapid fire situations.

MODEL 70 BARRELED ACTION. Model 70 barreled actions are ready for fitting to custom-made stocks and sights. Receivers and barrels are drilled, tapped for sights, and filled with removable plug screws. These barreled actions give the built-in performance of the strongest bolt action in a center fire rifle made to the sportsman's own preferences. Available in Standard, Magnum, Varmint, or Target Models.

Specifications

Symbol	Caliber	Magazine Capacity	Overall Length in	Overall Length cm	Barrel Length in	Barrel Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Drop at Monte Carlo in	Drop at Monte Carlo cm	Weight lbs	Weight kg
VARMINT	**$214.95**															
G7018	222 Rem.	4*	44½	113	24	61	13½	34.3	9/16	1.4	15/16	2.4	3/8	1.0	9¾	4.4
G7015	22-250	5*	44½	113	24	61	13½	34.3	9/16	1.4	15/16	2.4	3/8	1.0	9¾	4.4
G7014	225 Win.	5*	44½	113	24	61	13½	34.3	9/16	1.4	15/16	2.4	3/8	1.0	9¾	4.4
G7012	243 Win.	5*	44½	113	24	61	13½	34.3	9/16	1.4	15/16	2.4	3/8	1.0	9¾	4.4
TARGET	**$230.95**															
G7040	308 Win.	5*	44¼	112	24	61	13¼	33.7	½	1.3	⅞	2.2	—		10¼	4.6
G7044	30-06 Spgfld.	5*	44¼	112	24	61	13¼	33.7	½	1.3	⅞	2.2	—		10¼	4.6

MODEL 70 BARRELED ACTIONS

Symbol	Caliber	Barrel Length in	Barrel Length cm
STANDARD	**$153.95**		
G7095	222 Rem.	22	56
G7092	22-250	22	56
G7081	225 Win.	22	56
G7082	243 Win.	22	56
G7083	270 Win.	22	56
G7084	30-06 Spgfld.	22	56
G7080	308 Win.	22	56

Symbol	Caliber	Barrel Length in	Barrel Length cm
MAGNUM	**$168.95**		
G7087	264 Win. Mag.	24	61
G7088	7mm Rem. Mag.	24	61
G7086	300 Win. Mag.	24	61
G7085	338 Win. Mag.	24	61

Symbol	Caliber	Barrel Length in	Barrel Length cm
VARMINT	**$168.95**		
G7096	222 Rem.	24	61
G7093	22-250	24	61
G7089	225 Win.	24	61
G7090	243 Win.	24	61
TARGET	**$176.00**		
G7091	30-06 Spgfld.	24	61
G7094	308 Win.	24	61

*Add one round for cartridge in chamber



Two brand new Winchester bolt actions that combine luxury and economy.

MODEL 770 STANDARD. The Winchester 770 bolt action rifle is a hunting partner that inspires pride. Handsome styling blended perfectly with bolt action strength, yet representing the ultimate in economy. The new 770 has many of the features of the celebrated Winchester 70: exclusive three-position safety, high-gloss walnut stock with Monte Carlo, undercut cheek piece, and fluted comb. Checkering is deep and positive. Tough composition butt plate. And the same strong Winchester Proof Steel barrel promises accuracy and durability. Available in six popular calibers.

MODEL 770 MAGNUM. The rubber recoil pad and three hard-hitting Magnum calibers identify the new 770 Magnum. This rifle offers power to match its accuracy. From the high-polish bolt handle to the front sight ramp and hood, everything about this Magnum model adds up to style and strength. The three-position safety provides maximum security, fast thumb release, and choice of settings. Designed to give the hunter more gun for his money and more game for his day in the field.

Specifications

Symbol	Caliber	Magazine Capacity	Overall Length in	Overall Length cm	Barrel Length in	Barrel Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Drop at Monte Carlo in	Drop at Monte Carlo cm	Weight lbs	Weight kg
STANDARD	**$172.95**															
G77001	22-250 Rem.	4*	42½	108	22	56	13½	34.3	1¾	4.4	2⅛	5.4	1½	3.8	7⅛	3.2
G77002	222 Rem.	3*	42½	108	22	56	13½	34.3	1¾	4.4	2⅛	5.4	1½	3.8	7⅛	3.2
G77003	243 Win.	4*	42½	108	22	56	13½	34.3	1¾	4.4	2⅛	5.4	1½	3.8	7⅛	3.2
G77004	270 Win.	4*	42½	108	22	56	13½	34.3	1¾	4.4	2⅛	5.4	1½	3.8	7⅛	3.2
G77005	30-06 Spgfld.	4*	42½	108	22	56	13½	34.3	1¾	4.4	2⅛	5.4	1½	3.8	7⅛	3.2
G77006	308 Win.	4*	42½	108	22	56	13½	34.3	1¾	4.4	2⅛	5.4	1½	3.8	7⅛	3.2
MAGNUM	**$189.95**															
G77007	264 Win. Mag.	3*	44½	113	24	61	13½	34.3	1¾	4.4	2⅛	5.4	1½	3.8	7¼	3.3
G77008	7mm. Rem. Mag.	3*	44½	113	24	61	13½	34.3	1¾	4.4	2⅛	5.4	1½	3.8	7¼	3.3
G77009	300 Win. Mag.	3*	44½	113	24	61	13½	34.3	1¾	4.4	2⅛	5.4	1½	3.8	7¼	3.3

*Add one round for cartridge in chamber.

Lever Action and Automatic Center Fire Rifles and Carbines.

Here are four streamlined sporting arms as modern as today's hunt. Winchester Model 88 Lever Actions and Model 100 Automatics that practically go and get the game themselves. They have the built-in accuracy to match their styling. Accuracy that will not be compromised. Dependability that stems from over one hundred years of Winchester gun knowledge and quality. They are as fast firing and easy handling as they look.

Their forte is accuracy, a part of which comes from the rigid, one-piece stock. Receiver and barrel are bedded in the strong, single stock. Barrel vibration is reduced, and accuracy is constant. Trim, light, and fast — these four were made for the hunter who demands top quality, convenience and accuracy in lever and automatic loading actions. Rifles and carbines that have perfect balance and low recoil. These are the fast four from Winchester.





Automatic accuracy and ease of handling. World's fastest-firing sporting arm.

MODEL 100 RIFLE. A Model 100 automatic rifle combines speed and power to meet the most demanding requirements of the hunter. Minimum recoil keeps the shooter on the target when it counts. The triple-lug, front-locking bolt means bolt action strength and dependability in this self-loading rifle. The smooth gas-operated action is self-metering to insure positive functioning with all bullet weights. Strong, one-piece walnut stock with basket-weave checkering and oak leaf motif. Cross-bolt safety. Detachable sling swivels. Non-slip butt plate. The action stays open after the last shot.

MODEL 100 CARBINE. From hooded front sight to butt plate, the Model 100 carbine is speedy and strong. Saddle carbine lines are further enhanced by a barrel band. Detachable clip for quick reloading in the field. Winchester Proof Steel barrel swaged for perfect chamber-bore alignment. Comfortable arched pistol grip with black cap. True accuracy anchored by the single stock. Fires as fast as your trigger finger can move.

Specifications

Symbol	Caliber	Magazine Capacity	Overall Length		Barrel Length		Length of Pull		Drop at Comb		Drop at Heel		Weight	
			in	cm	in	cm	in	cm	in	cm	in	cm	lbs	kg
RIFLE	**$199.95**													
G1001	243 Win.	4*	42½	108	22	56	13¾	34.9	1½	3.8	2⅝	6.7	7¼	3.3
G1004	284 Win.	3*	42½	108	22	56	13¾	34.9	1½	3.8	2⅝	6.7	7¼	3.3
G1003	308 Win.	4*	42½	108	22	56	13¾	34.9	1½	3.8	2⅝	6.7	7¼	3.3
CARBINE	**$189.95**													
G10021	243 Win.	4*	39½	100	19	48	13¾	34.9	1½	3.8	2⅝	6.7	7	3.2
G10023	284 Win.	3*	39½	100	19	48	13¾	34.9	1½	3.8	2⅝	6.7	7	3.2
G10024	308 Win.	4*	39½	100	19	48	13¾	34.9	1½	3.8	2⅝	6.7	7	3.2

*Add one round for cartridge in chamber

MODEL 88



Streamlined accuracy and power. Traditional lever actions made modern.

MODEL 88 RIFLE. The Model 88 rifle displays features as crisp as its shooting. Sleek, fast, safe and reliable. The one-piece walnut stock is decorated with handsome basket-weave checkering and oak leaf motif. Ramp-and hood front sight and adjustable rear sight. Detachable sling swivels and pistol grip cap. The contoured lever follows the shape of the arched pistol grip. The outstanding feature of the Model 88 is that the lever and trigger area move as a single unit during operation of the action. The shooter's finger never leaves the trigger area. Detachable clip speeds reloading. Cross-bolt safety.

MODEL 88 CARBINE. This Model 88 carbine gives the feel of smooth, brisk shooting. Short and fast, the Model 88 carbine is the perfect brush gun. Its husky, handsome lines are as smooth as the action of its lever. The forearm is tapered and topped off with a metal barrel band. Walnut stock with fluted comb. Winchester Proof Steel barrel. The receiver has great strength derived from a rotary, triple-lug, head-locking bolt. Holds fast and steady on game for that important second shot.

Specifications

Symbol	Caliber	Magazine Capacity	Overall Length in	Overall Length cm	Barrel Length in	Barrel Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Weight lbs	Weight kg
RIFLE $184.95														
G8811	243 Win.	4*	42½	108	22	56	13¾	34.9	1½	3.8	2⅝	6.7	7¼	3.3
G8814	284 Win.	3*	42½	108	22	56	13¾	34.9	1½	3.8	2⅝	6.7	7¼	3.3
G8812	308 Win.	4*	42½	108	22	56	13¾	34.9	1½	3.8	2⅝	6.7	7¼	3.3
CARBINE $174.95														
G8821	243 Win.	4*	39½	100	19	48	13¾	34.9	1½	3.8	2⅝	6.7	7	3.2
G8824	284 Win.	3*	39½	100	19	48	13¾	34.9	1½	3.8	2⅝	6.7	7	3.2
G8822	308 Win.	4*	39½	100	19	48	13¾	34.9	1½	3.8	2⅝	6.7	7	3.2

*Add one round for cartridge in chamber

Lever Action Center Fire Rifles and Carbines.

Our traditional Winchester Model 94s are the modern continuation of the guns that helped to win the American West. They are descended from those famous Winchesters of the late 1800s. And these handsome lever actions will bring history up to date. These 94s have been refined and perfected by Winchester gunsmiths. Their accuracy is legendary, and their styling reflects Winchester's modern continuation of "the gun that won the West." This is the most distinctive firearm in the world.

Each carbine and rifle helps to establish further the tradition of the Model 94 as the finest deer gun ever made. All have features worthy of a legend: wood and metal superbly matched. Standard, Antique, Classic . . . and now a new version in 44 Magnum caliber. New Commemorative offerings — the Theodore Roosevelt and Golden Spike — add to the value of these exceptional lever action Model 94s as both hunting and collector masterpieces.

MODEL 94



World's most popular lever action. Now in 44 Magnum caliber.

MODEL 94 STANDARD. The Model 94 carbine is the most famous gun in the world — noted for its dependability and light handling. This traditional lever action is ideal as a saddle gun or for hunting in brush and timber. Fast operating and rugged. The straight-grip stock and forearm are walnut-finished hardwood. Hooded front sight and sporting rear sight. The finest grade steel barrel is carefully rifled and chambered. The receiver sports a high-polish black chrome finish. Checkered metal butt plate. Barrel band. Visible hammer and half-cock safety The 94 carbine loads through the port on the right side of the receiver. Top ejection. Tubular magazine.

MODEL 94 MAGNUM. Now Magnum power and lever action styling combine in the new Model 94 carbine in 44 Magnum caliber. An odds-on choice for deer. Holds eleven Magnum cartridges, including one in the chamber. Winchester Proof Steel barrel. All the features of the standard 94 carbine plus Magnum power and versatility. This carbine makes the perfect mate for a 44 Magnum hand gun. It delivers ultimate performance from a 44 Magnum cartridge. This big, powerful and reliable caliber was added to satisfy the rising demand for a traditional carbine in 44 Magnum.

Specifications

Symbol	Caliber	Magazine Capacity	Overall Length in	Overall Length cm	Barrel Length in	Barrel Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Weight lbs	Weight kg
STANDARD CARBINE $114.95														
G9412	30-30 Win.	6*	37¾	96	20	51	13	33.0	1¾	4.4	2½	6.4	6½	2.9
G9423	32 Win. Spec.	6*	37¾	96	20	51	13	33.0	1¾	4.4	2½	6.4	6½	2.9
MAGNUM CARBINE $125.95														
G9444	44 Mag.	10*	37¾	96	20	51	13	33.0	1¾	4.4	2½	6.4	6⅛	2.8

*Add one round for cartridge in chamber.

MODEL 94



Old-style looks and modern shooting. Classic Winchester lever actions for today.

MODEL 94 ANTIQUE. The Model 94 Antique carbine delivers performance to match its handsome appearance. The marbling of the case-hardened receiver lends an authentic antique appearance. Handsome scrollwork decorates the receiver. The loading gate and saddle ring are brass-plated. Barrel band. Steel butt plate. This carbine features the same straight-line design and the same reliable, fast lever action as all other 94s.

MODEL 94 CLASSICS. Memories of past glories are enhanced by the Model 94 Winchester Classic rifle and carbine. Strong and straight with an exacting wood-to-metal fit. Hand-rubbed, satin-finished semi-fancy American walnut stock with thin fluted comb. The forearm is capped by a metal forearm tip. Adjustable semi-buckhorn rear sight and bead-post front sight. Bold octagon barrel of Winchester Proof Steel. Gold-plated loading gate, classic receiver scrollwork, serrated hammer, and half-cock safety. Saddle ring with plug screw. Every feature adds to the classic appeal of these sharpshooting legends.

Specifications

Symbol	Caliber	Magazine Capacity	Overall Length in	Overall Length cm	Barrel Length in	Barrel Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Weight lbs	Weight kg
ANTIQUE CARBINE $125.95														
G9402	30-30 Win.	6*	37¾	96	20	51	13	33.0	1¾	4.4	2½	6.4	7	3.2
●CLASSIC RIFLE $165.00														
G9442	30-30 Win.	8*	43¾	111	26	66	13	33.0	1¾	4.4	2½	6.4	8	3.6
●CLASSIC CARBINE $165.00														
G9432	30-30 Win.	6*	37¾	96	20	51	13	33.0	1¾	4.4	2½	6.4	7	3.2
● MATCHED SET $350.00														

*Add one round for cartridge in chamber.

MODEL 94

WINCHESTER THEODORE ROOSEVELT COMMEMORATIVE

WINCHESTER GOLDEN SPIKE COMMEMORATIVE

Great Memories of America's Past.

THEODORE ROOSEVELT COMMEMORATIVES. Theodore Roosevelt and Winchester were allies on his world-wide adventures. Now Winchester chooses to salute this champion of the outdoors with a special commemorative rifle and carbine. Both have an octagon barrel, satin-finished walnut stock and forearm, crescent butt plate, bead-post front sight and sporting rear sight. Receiver, fore-end cap, and upper tang are plated with rich white gold. Commemorative inscriptions on barrel, receiver, and upper tang. Souvenir medallion imbedded in stock. Half-pistol grip and contoured lever. The half-magazine takes the rifle back to turn-of-the-century styling. A rifle and carbine as exciting as the man whose name they bear.

GOLDEN SPIKE COMMEMORATIVE. The "Golden Spike" united America upon the completion of the first great transcontinental railway in 1869. Winchester rifles and carbines played a large part in establishing and defending this monumental work. The Winchester Golden Spike Commemorative honors the 100th anniversary of this feat. Receiver, upper and lower tang, twin barrel bands — all blaze with yellow gold plating. The satin-finished walnut stock bears a special Centennial medallion struck by the U.S. Mint. Commemorative inscriptions on receiver and upper tang. Western saddle ring. Like the transcontinental railway, a masterwork of wood and steel.

Specifications

Symbol	Caliber	Magazine Capacity	Overall Length in	Overall Length cm	Barrel Length in	Barrel Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Weight lbs	Weight kg
● THEODORE ROOSEVELT RIFLE $169.95														
G9454R	30-30 Win.	6*	43¾	111	26	66	13⅛	33.4	2	5.1	2¾	7.0	7½	3.4
CARBINE $169.95														
G9455R	30-30 Win.	6*	37¾	96	20	51	13⅛	33.4	2	5.1	2¾	7.0	7	3.2
GOLDEN SPIKE $147.95														
G9456GS	30-30 Win.	6*	37¾	96	20	51	13	33.0	1¾	4.4	2½	6.4	7	3.2
● MATCHED SET $375.00														

*Add one round for cartridge in chamber.

Rim Fire Rifles and Carbines. Bolt Action...Lever Action...Slide Action...Automatic.

Winchester's 1969 rim fire rifles and carbines combine accuracy, safety, dependability, and enjoyment with handsome styling for hunting or target shooting. These 22s are crafted in the traditional Winchester way with modern design and foremost features. Bolt action single shot models with big bore looks designed for the young shooter. Bolt action clip-fed and tube-fed models offer the more advanced shooter versatility and large caliber, bolt action reliability. The Winchester small bore match champion Model 52D Target Rifle is joined this year by the new, ultra-modern and superbly accurate Model 52 International Match Rifle, especially designed for international small bore competitions.

Winchester 200 Series rim fire rifles come in a wide selection of styles... lever, slide, or automatic. Standard, Magnum, or Deluxe. Take your choice. And Winchester Model 150 and Model 190 combine dependability and economy with traditional styling. All feature Winchester Proof Steel barrels, fine wood stocks and forearms, and smooth, strong actions. All have the dependability and accuracy that comes from Winchester quality craftsmanship. These are the finest rim fire rifles a boy ever owned . . . or a man ever enjoyed.



Safe, accurate fun. Bolt action strength and reliability.

MODEL 121 BOLT ACTION — Single Shot — Youth, Standard and Deluxe. Every feature of the Model 121 rim fire rifle is designed to help the young shooter. It is the perfect rim fire rifle for beginners because it is one of the safest sporting arms ever made. An exclusive safety engages automatically with the action of the bolt. The Model 121 is available in three styles—Youth, Standard, or Deluxe. The 121 Youth is styled specially for the smaller shooter: shorter stock, shorter pull, modified Monte Carlo stock, and slim forearm. The 121 Deluxe has a deluxe trigger mechanism and a ramped, dovetailed bead-post front sight.

MODEL 131 BOLT ACTION — Clip — Standard. The Model 131 fires seven Short, Long, or Long Rifle cartridges from a detachable clip for fast, easy reloading. Additional features include a red cocking indicator and red safety marking.

MODEL 141 BOLT ACTION — Tube — Standard. The Model 141 loads through a tubular feed in the stock. The safety thumbs forward to make the 141 ready to fire.

Models 131 and 141 have ramped bead-post front sights. All Model 121, 131, and 141 rifles have Winchester Proof Steel barrels, adjustable rear sights, twin extractors, and receivers grooved for tip-off scope mounts. The strong, one-piece hardwood stocks are protected with a durable, weather-resistant finish. All represent superior safety and quality in low-cost rim fire rifles.

Specifications

Symbol	Caliber	Magazine Capacity	Overall Length in	Overall Length cm	Barrel Length in	Barrel Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Drop at Monte Carlo in	Drop at Monte Carlo cm	Weight lbs	Weight kg
M/121 STANDARD $ 35.50 G12101	22 S., L., L.R.	1	40	102	20¾	53	13½	34.3	1½	3.8	2½	6.4	1¾	4.4	5	2.3
DELUXE $ 40.50 G12111	22 S., L., L.R.	1	40	102	20¾	53	13½	34.3	1½	3.8	2½	6.4	1¾	4.4	5	2.3
YOUTH $ 35.50 G12102	22 S., L., L.R.	1	38¾	98	20¾	53	12¼	31.1	1½	3.8	2¼	5.7	1¾	4.4	5	2.3
M/131 STANDARD $ 56.95 G13101	22 S., L., L.R.	7	40	102	20¾	53	13½	34.3	1½	3.8	2½	6.4	1¾	4.4	5	2.3
M/141 STANDARD $ 61.95 G14101	22 S., L., L.R.	15S., 15L., 13L.R.	40	102	20¾	53	13½	34.3	1½	3.8	2½	6.4	1¾	4.4	5	2.3

S. = Short L. = Long L.R. = Long Rifle



Smooth rim fire action. Standard, Magnum, and Deluxe.

MODEL 250 STANDARD AND DELUXE. The contoured lever action of the Model 250 Standard works as fast as the shooter's hand can move. The trigger disconnects when the lever is thrown providing additional safety and permitting the shooter's finger to stay in the trigger area. High-strength receiver grooved for tip-off scope mounting. Engine-turned bolt, bead-post front sight, adjustable rear sight. Walnut-finished hardwood stock and forearm with deep checkering. Buttstock with white spacer and contoured composition butt plate. Model 250 Deluxes add even more: semi-fancy American walnut stock and forearm, special basket-weave checkering, Monte Carlo and cheek piece. Both shoot 21 Shorts, 17 Longs, or 15 Long Rifles.

MODEL 255 MAGNUM AND MAGNUM DELUXE. The Model 255 Magnum is designed for larger varieties of small game and varmint. It handles the powerful 22 Winchester Magnum Rimfire cartridges. Its cross-bolt safety, located ahead of the trigger, has a red warning indicator when safety is in the off position. The Model 255 has all of the features of the 250 Standard. Also available in a Deluxe model. The tube magazine holds 11 shots.

Specifications

Symbol	Caliber	Magazine Capacity	Overall Length in	Overall Length cm	Barrel Length in	Barrel Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Drop at Monte Carlo in	Drop at Monte Carlo cm	Weight lbs	Weight kg
M/250 $ 86.95 G25001	22 S., L., L.R.	21S., 17L., 15L.R.	39	99	20½	52	13⅝	34.6	1¾	4.4	2¾	7.0	—		5	2.3
DELUXE $116.95 G25011	22 S., L., L.R.	21S., 17L., 15L.R.	39	99	20½	52	13⅝	34.6	1¾	4.4	2¾	7.0	2¼	5.7	5	2.3
M/255 $ 95.50 G25501	22 Win. Mag.	11	39	99	20½	52	13⅝	34.6	1¾	4.4	2¾	7.0	—		5	2.3
DELUXE $124.95 G25511	22 Win. Mag.	11	39	99	20½	52	13⅝	34.6	1¾	4.4	2¾	7.0	2¼	5.7	5	2.3

S. = Short L. = Long L.R. = Long Rifle

MODEL 270 & 275

Slide action supremacy. Standard or Magnum...Both in Deluxe.

MODEL 270 STANDARD AND DELUXE. The Model 270 standard slide action rim fire rifle is quick and smooth, designed for accuracy and reliability. With features like the quality big bores: walnut-finished American hardwood stock and forearm, easy-to-grip checkering, high-strength receiver, bead-post front sight, and cross-bolt safety. All the features of the Winchester 200 Series rim fires from contoured butt plate to Winchester Proof Steel barrel. The 270 also comes in a Deluxe model with semi-fancy American walnut stock and forearm. Deluxe features include a gold-plated trigger and safety, and basket-weave checkering. Both Deluxe and Standard models fire 21 Shorts, 17 Longs, or 15 Long Rifles.

MODEL 275 MAGNUM — STANDARD AND DELUXE. For those long shots, the Model 275 delivers Magnum power and exceptional accuracy. Like the 270, it has a slide action as smooth as silk. With looks and features to match. The 275 Deluxe carries the same knock-down punch to predators and small game with its 40-grain bullet. And it incorporates all of the same 200 Series Deluxe features. The 275 Standard and Deluxe each hold 11 cartridges of 22 Winchester Magnum Rimfire caliber.

Specifications

Symbol	Caliber	Magazine Capacity	Overall Length in	Overall Length cm	Barrel Length in	Barrel Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Drop at Monte Carlo in	Drop at Monte Carlo cm	Weight lbs	Weight kg
M/270 G27003 $ 87.95	22 S., L., L.R.	21S., 17L., 15L.R.	39	99	20½	52	13⅝	34.6	1¾	4.4	2¾	7.0	—		5	2.3
DELUXE G27011 $116.95	22 S., L., L.R.	21S., 17L., 15L.R.	39	99	20½	52	13⅝	34.6	1¾	4.4	2¾	7.0	2¼	5.7	5	2.3
M/275 G27501 $ 95.50	22 Win. Mag.	11	39	99	20½	52	13⅝	34.6	1¾	4.4	2¾	7.0	—		5	2.3
DELUXE G27511 $124.95	22 Win. Mag.	11	39	99	20½	52	13⅝	34.6	1¾	4.4	2¾	7.0	2¼	5.7	5	2.3

S. = Short L. = Long L.R. = Long Rifle

MODEL 290



Rapid-fire action. Accurate and easy handling.

MODEL 290 STANDARD. The 290 Standard meets all requirements for a handsome and dependable 22 automatic rifle. This self-loader fires as fast as you can pull the trigger. The high-strength receiver has a glare-proof and rust-resistant finish. Engine-turned bolt and contoured cocking handle. Cross-bolt safety, adjustable rear sight, bead-post front sight. Clean, trim lines and light weight make the 290 quick and easy to handle. Handles 21 Short, 17 Long, or 15 Long Rifle cartridges in rapid succession.

MODEL 290 DELUXE. The 290 Deluxe combines the reliability and accuracy of the Standard with deluxe styling. Deluxe features make this 22 the pride of your collection. Semi-fancy American walnut stock with high-gloss finish, Monte Carlo profile, and basket-weave checkering. The stock is fluted and sculptured with a comfortable cheek piece. The trigger and safety gleam with gold plating. Winchester Proof Steel barrel. Receiver grooved for tip-off scope mounts. Sling swivels. Contoured composition butt plate with white spacer. The 290 Deluxe affords the same magazine capacity as the Standard. It provides the same pin-point accuracy and fine handling characteristics.

Specifications

Symbol	Caliber	Magazine Capacity	Overall Length in	Overall Length cm	Barrel Length in	Barrel Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Drop at Monte Carlo in	Drop at Monte Carlo cm	Weight lbs	Weight kg
M290 G29001 $ 81.95	22 S., L., L.R.	21S., 17L., 15L.R.	39	99	20½	52	13⅝	34.6	1¾	4.4	2¾	7.0	—		5	2.3
DELUXE G29011 $116.95	22 S., L., L.R.	21S., 17L., 15L.R.	39	99	20½	52	13⅝	34.6	1¾	4.4	2¾	7.0	2¼	5.7	5	2.3

S. = Short L. = Long L.R. = Long Rifle



Made for the small-game hunter.

MODEL 150 CARBINE. Winchester's Model 150 lever action rim fire carbine is as rugged and accurate as its traditional design suggests. Styling inspired by the famous Winchester Model 94. Performance perfected by Winchester craftsmanship. The handsome, frontier-styled stock and forearm are of walnut-finished hardwood protected by a wear-resistant finish. The comfortable lever fits a straight-line stock design capped with a rugged composition butt plate. Traditional barrel band and sling swivels. Add a cross-bolt safety for certain security in the field. Bead-post front sight and adjustable sporting rear sight. Perfect for backyard targets or tough brush hunting. Fires 21 Shorts, 17 Longs, or 15 Long Rifles.

MODEL 190 RIFLE AND CARBINE. The Model 190 automatic rifle and carbine offer fast, sporty action and high accuracy. Handsome hardwood stocks have pistol grips carved for comfort and firmness. High-strength receivers, engine-turned bolts, and contoured cocking handles. Adjustable rear sights and bead-post front sights. A metal barrel band decorates the carbine forearm. Cross-bolt safeties and contoured butt plates. All these features add up to fast, automatic action and handsome looks. Both the 190 rifle and carbine fire 21 Short, 17 Long, or 15 Long Rifle cartridges interchangeably.

Specifications

Symbol	Caliber	Magazine Capacity	Overall Length in	Overall Length cm	Barrel Length in	Barrel Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Weight lbs	Weight kg
M/150 CARBINE $ 75.95 G15002	22 S.,L.,LR.	21S.,17L. 15L.R.	39	99	20½	52	13⅜	34.6	1¾	4.4	2¾	7.0	5	2.3
M/190 RIFLE $ 66.95 G19001	22 S.,L.,LR.	21S.,17L. 15L.R.	39	99	20½	52	13⅜	34.6	1¾	4.4	2¾	7.0	5	2.3
CARBINE $ 71.95 G19002	22 S.,L.,LR.	21S.,17L. 15L.R.	39	99	20½	52	13⅜	34.6	1¾	4.4	2¾	7.0	5	2.3

S. = Short L. = Long L.R. = Long Rifle



Smallbore champions. New International Match rifle.

MODEL 52D TARGET RIFLE. Here are the two surest ways to win a smallbore target match — with the dependable, time-proven 52D and its new ultimately modern and accurate partner, the 52 International Match Rifle. Both have a vibration-free, non-drag trigger adjustable to one pound. Winchester Speed Lock Action — specially carburized receiver, bolt, and firing pin. Positive side-lever safety and adjustable hand stop. Receiver drilled and tapped for sights and scope bases. Precision rifled, the barrel is lead lapped for a smoother bore. Tapped for front sight bases. And both of these competition rifles come with scope blocks and sling attachment. The Model 52D has a special Marksman stock of choice walnut, accessory channel for sliding palm rest, non-skid rubber butt pad. Choice of Standard or Heavyweight barrel, free floating with adjustable bedding device.

MODEL 52 INTERNATIONAL MATCH RIFLE. New for 1969. Winchester proudly announces the Model 52 International Match Rifle. It sets a whole new standard in accuracy and competition features. International Style stock with thumbhole. Adjustable International butt plate assembly with rubber pad and hook. Full-length black anodized aluminum accessory track. Polished aluminum trigger guard with adjustment holes. International palm rest assembly. Heavyweight 28″ barrel with steel telescopic blocks. Make set with Kenyon trigger available at extra cost.

MODEL 52D BARRELED ACTIONS. Model 52D Barreled Actions are available for custom-made stocks. Receiver and barrel drilled and tapped for metallic sights or scope blocks. $161.50

Specifications

Symbol	Caliber	Magazine Capacity	Overall Length in	Overall Length cm	Barrel Length in	Barrel Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Drop at Monte Carlo in	Drop at Monte Carlo cm	Weight lbs	Weight kg
STANDARD WEIGHT G5218 $199.50	22 L.R. only	1	46	117	28	71	13⅝	34.6	¼[b]	0.6	¾[b]	1.9	—	—	9¾	4.4
HEAVY WEIGHT G5225 $199.50	22 L.R. only	1	46	117	28	71	13⅝	34.6	¼[b]	0.6	—	—	—	—	11	5.0
INTERNA'TL MATCH G5208 $446.00	22 L.R. only	1	46	117	28	71	[a]12 1/16 14 1/16	[a]30.6-35.7	⅛[b]	0.3	5/16	1.4	3/32	0.2	14	6.4

With Kenyon Trigger $489.00

a = Spread of adjustment. b = Drop dimensions taken from center line of bore. L.R. = Long Rifle

Slide Action, Automatic, Over-and-Under, Single Shot, and Side-by-Side.

Winchester shotguns offer the shooter the widest selection of style, gauge, and price. Whatever the action — for game or clay targets — one of these fine guns is sure to meet all the requirements of the sportsman. Each shotgun is the result of Winchester world-famous craftsmanship, built of the best materials, with the highest possible regard for quality and dependability.

Model 1200 slide action shotguns come in field, Magnum, deer, trap and skeet models for those who prefer smooth slide action shooting. Model 1400 Mark II Automatics offer increased versatility with new left-hand models. Interchangeable barrels for the 1200 and 1400 Mark II make these the most versatile shotguns ever.

Most 12 gauge Model 1200 and Model 1400 shotguns are available with Winchester Recoil Reduction System for those shooters sensitive to recoil. Model 1200 and 1400 versatility is enhanced even more by Winchoke — a new choke unit available on 1200 and 1400 field guns.

Slide action Model 2200 shotguns in a class by themselves. Economically priced but with fine custom features added to enhance its rugged good looks. Lock, stock and barrel, the finest slide action in the field and priced just right. The Model 2400 automatic shotgun starts where other automatics leave off. Every inch of it, from butt to muzzle, has been crafted to provide hunters with the most all-weather reliability. The smoothest trouble-free action, the hardest hitting, fastest swinging shotgun. The 2400 is a great gun at a modest price.

Model 101 shotguns offer outstanding design and superb quality in a traditional over-and-under. For single barrel enthusiasts and economy-minded hunters, the Winchester Model 370 Single Shot Shotgun. Now available in a Youth Model 370 styled for the young beginner. Discriminating sportsmen will want to inquire about Winchester Model 12 Super Pigeon Grade Slide Action or Model 12 Double Barrel — outstanding shotguns made to special customer order.



Slide Actions and Automatics especially crafted for the Canadian Hunter.

MODEL 2200 SLIDE ACTION SHOTGUN. Here is fast-swinging, smooth-working slide action shooting pleasure from Winchester Canada. Twin action slide bars join the action slide handle to the breech block, resulting in the fastest, smoothest action you will ever find in a pump gun. It also means durability and reliability in all kinds of weather. The Winchester 2200 stock and forearm are walnut-finished Canadian hardwood. Slim, checkered forearm for positive gripping feels right to any shooter's hand. Cross-bolt safety, front-locking rotating bolt, non-slip rubber buttplate. As an added safety feature, the 2200 has an interrupted trigger. The hammer will not follow down if the trigger is held during operation of the slide . . . but recovers only when the trigger is released. Chambered for 2¾" shells. In 12 gauge only. Interchangeable barrels are available for your Model 2200 in a wide variety of lengths and chokes. Here is shotgun dependability and versatility at a moderate price.

MODEL 2400 AUTOMATIC SHOTGUN. Canadians asked for it and Winchester Canada responded. The Winchester 2400 automatic shotgun is out in front of all others at a moderate price. Has up to 10% less recoil than any other automatic. Push-button action release for the ultimate in loading ease. An exclusive rotating bolthead that locks into the barrel gives the 2400 the world's strongest locking system. The unique self-compensating gas system adjusts automatically for 2¾" Magnum and standard loads. Pistol grip. Fluted comb. Walnut-finished Canadian hardwood stock and forearm. Non-slip rubber buttplate. Available with interchangeable barrels at extra cost. Chambered for 2¾" shot shells, 12 gauge only.

Specifications

Symbol	Gauge	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Weight lbs	Weight kg
M/2200 FIELD	**$106.95**							
G220001	12	30	76	2¾	70	F	6¾	3.1
G220002	12	28	71	2¾	70	F	6⅝	3.0
G220003	12	28	71	2¾	70	M	6⅝	3.0

Symbol	Overall Length in	Overall Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Sights
G220001	50⅝	128	14	36	1⅜	3.5	2⅜	6	a
G220002	48⅝	124	14	36	1⅜	3.5	2⅜	6	a
G220003	48⅝	124	14	36	1⅜	3.5	2⅜	6	a

Symbol	Gauge	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Weight lbs	Weight kg
M/2400 FIELD	**$149.95**							
G240001	12	30	76	2¾	70	F	7	3.2
G240002	12	28	71	2¾	70	F	6⅞	3.1
G240003	12	28	71	2¾	70	M	6⅞	3.1

Symbol	Overall Length in	Overall Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Sights
G240001	50⅝	128	14	36	1⅜	3.5	2⅜	6	a
G240002	48⅝	124	14	36	1⅜	3.5	2⅜	6	a
G240003	48⅝	124	14	36	1⅜	3.5	2⅜	6	a

a—FRONT F = Full M = Modified

MODEL 1200

Slide actions now with new Winchoke.

MODEL 1200 FIELD GUN. With a Model 1200 slide action field gun, you're ready for the fastest target. The traditional American slide action works fast and smooth because of double twin action slide bars. Slim styling and perfect balance mean quick sighting. Every feature spells quality. An exclusive front-locking, rotating bolt locks into the barrel for greater strength and endurance. The graceful stock and extended beavertail forearm are of American walnut, handsomely checkered. Winchester Proof Steel barrel, engine-turned bolt, cross-bolt safety, rust-proof receiver. From rubber recoil pad to front sighting bead, the 1200 has everything you could want in a fast field gun.

MODEL 1200 FIELD GUN WITH VENTILATED RIB. The Model 1200 field gun with ventilated rib bears all of the outstanding features of the plain-barreled model with one important difference — a single, flat-surfaced sighting plane from receiver to muzzle. The ventilated rib helps prevent canting and eliminates heat distortion. New oval posts anchor the ventilated rib securely to the barrel. Both Model 1200s, plain-barrel and with ventilated are available in 12, 16, and 20 gauge.

And now you can change the choke on your Model 1200 as your game and sport varies. New this year — Winchester Winchoke offers you three shotguns in one. Interchangeable Winchoke units screw into the muzzle in seconds, the exterior of the barrel retaining its slim, clean lines. Available on all 12, 16, and 20 gauge field guns. Modified choke unit and spanner wrench supplied with gun. Full and Improved Cylinder Winchokes at extra cost.

Specifications

Symbol	Gauge	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Weight lbs	Weight kg
FIELD		$132.95						
G120001	12	30	76	2¾	70	F	6¾	3.1
G120002	12	28	71	2¾	70	F	6⅝	3.0
G120003	12	28	71	2¾	70	M	6⅝	3.0
G120005	12	26	66	2¾	70	I.C.	6½	2.9
G120012	16	28	71	2¾	70	F	6½	2.9
G120013	16	28	71	2¾	70	M	6½	2.9
G120015	16	26	66	2¾	70	I.C.	6⅜	2.9
G120021	20	28	71	2¾	70	F	6⅜	2.9
G120023	20	28	71	2¾	70	M	6⅜	2.9
G120025	20	26	66	2¾	70	I.C.	6¼	2.8
FIELD WITH WINCHOKE		$147.95						
G120081	12	28	71	2¾	70	M	6⅝	3.0
G120082	16	28	71	2¾	70	M	6½	2.9
G120083	20	28	71	2¾	70	M	6⅜	2.9
FIELD WITH VENTILATED RIB		$162.95						
G120051	12	30	76	2¾	70	F	6⅞	3.1
G120052	12	28	71	2¾	70	F	6⅞	3.1
G120053	12	28	71	2¾	70	M	6⅞	3.1
G120055	12	26	66	2¾	70	I.C.	6¾	3.1
G120062	16	28	71	2¾	70	F	6¾	3.1
G120063	16	28	71	2¾	70	M	6¾	3.1
G120065	16	26	66	2¾	70	I.C.	6⅝	3.0
G120071	20	28	71	2¾	70	F	6⅝	3.0
G120073	20	28	71	2¾	70	M	6⅝	3.0
G120075	20	26	66	2¾	70	I.C.	6½	2.9
FIELD WITH VENTILATED RIB AND WINCHOKE		$177.95						
G120085	12	28	71	2¾	70	M	6⅞	3.1
G120086	16	28	71	2¾	70	M	6¾	3.1
G120087	20	28	71	2¾	70	M	6⅝	3.0

F = Full M = Modified IC = Improved Cylinder

MODEL 1200

Top performance and versatility. Interchangeable barrels for added value.

MODEL 1200 MAGNUM FIELD GUN. The Model 1200 Magnum field gun takes 3″ Magnum shells as well as all 2¾″ standard and Magnum shells. This is the right gun for high-flying ducks and geese anywhere in the world. Its features speak for themselves. American walnut stock and forearm. Deep checkering, slim pistol grip. Engine-turned bolt, cross-bolt safety. Exclusive front-locking, rotating bolt and twin action slide bars. Available with plain barrel or ventilated rib. In 12 or 20 gauge.

MODEL 1200 DEER GUN. Get your deer with the Model 1200 Deer Gun. This powerhouse handles rifled slugs and buckshot. The fast-swinging Winchester Proof Steel barrel is 22″ long. The ramp front sight and adjustable rear sight give the hunter a true rifle sight picture. Rubber recoil pad. Available only in 12 gauge.

Model 1200 Interchangeable Barrels provide ultimate versatility. Available in the following models: Field, Field with Winchoke, Field with Ventilated Rib, Field with Ventilated Rib and Winchoke, Deer, Trap, and Skeet. Not available in 3″ Magnum.

BARRELS

Field 12-16-20				$52.95
Field with V.R. 12-16-20				$89.95
Deer Gun	12	22″		$62.95
Trap	12	30″	Full	$99.95
Skeet	12-20	26″	Skeet	$62.95
Field Winchoke				$99.95
Field Winchoke V.R.				

Specifications

Symbol	Gauge	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Weight lbs	Weight kg
D MAGNUM		$154.95						
20041	12	30	76	3	76	F	7¾	3.5
G120027	20	28	71	3	76	F	7⅜	3.3
DEER		$144.95						
G120010	12	22	56	2¾	70	-	6½	2.9
FIELD MAGNUM WITH VENTILATED RIB		$184.95						
G120054	12	30	76	3	76	F	7⅞	3.6
G120077	20	28	71	3	76	F	7⅝	3.5

F = Full

MODEL 1200

TRAP GUN, REGULAR OR MONTE CARLO STOCK

SKEET GUN

MODEL 1400

MARK II FIELD GUN

MARK II FIELD GUN WITH VENTILATED RIB

Championship features for high scores.

MODEL 1200 TRAP GUN. The Model 1200 Trap Gun powders clay targets with high-gun consistency at all trap yardages. Its comfortable design and perfect balance add up to championship runs. All the features of the Model 1200 field guns and more: an improved trigger system provides short, crisp let-off, metal middle sighting bead and red front sighting bead, ventilated rib, semi-fancy American walnut stock and forearm. Trap-and-skeet-style checkering. Choice of Monte Carlo or regular trap stock. Rubber recoil pad. Black pistol grip cap. In 12 gauge only.

MODEL 1200 SKEET GUN. Perfect balance, handsome looks, and ease of handling make the Model 1200 Skeet Gun a favorite on the skeet field. Twin action slide bars mean smooth, reliable operation for easy doubles. Semi-fancy American walnut stock and forearm. Tough composition butt plate. Ventilated rib with receiver rib extension, middle sighting bead, and red front sight bead. Available in 12 or 20 gauge. Everything you need for 25 straight hits.

Most Model 1200 Slide Action Shotguns are available in 12 gauge with . Utilizing hydraulic fluid and powerful springs, this system reduces recoil by more than 70%. Handsome wo grained Cycolac stocks house this system. Perfect f older shooters and youngsters. Further information on the Winchester Recoil Reduction System can be obtained from any Winchester office.

Winchester Recoil Reduction System

G120042	12	3" Mag.	30" Full	$176.95
G120057	12	3" Mag.	30" Full (V.R.)	$206.95
G120008	12	2¾"	30" Full	$151.50
G120058	12	2¾"	30" Full (V.R.)	$186.95
G120009	12	2¾"	28" Modified	$151.50
G120059	12	2¾"	28" Modified (V.R.)	$186.95
G120037	12 M.C.	2¾"	30" Full Trap (V.R.)	$267.50
G120033	12	2¾"	26" Skeet (V.R.)	$257.50
G120060	12	2¾"	28" Field Winchoke	$147.95
G120061	12	2¾"	28" Field Winchoke (V.R.)	$177.95

Specifications

Symbol	Gauge	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Weight lbs	Weight kg
TRAP WITH VENTILATED RIB $242.95								
G120035	12	30	76	2¾	70	F	8¼	3.7
TRAP WITH VENTILATED RIB AND MONTE CARLO STOCK $252.95								
G120036	12	30	76	2¾	70	F	8¼	3.7

Symbol	Gauge	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Weight lbs
SKEET WITH VENTILATED RIB $242.95							
G120031	12	26	66	2¾	70	SK	7½
G120032	20	26	66	2¾	70	SK	7¼

F = Full SK = Skeet

Automatic shotguns with new features. New left-hand models.

MODEL 1400 MARK II FIELD GUN. The Model 1400 Mark II Automatic Shotgun fires as fast as you can pull the igger. This field gun is the strongest and most depend- le automatic made. And now this 1400 Mark II is available for left-handed sportsmen. Great features make this field gun the first choice of left and right-handers. The 1400 Mark II has the world's strongest locking system — an exclusive front-locking, rotating bolthead — designed to outlast and outperform all other automatics. A pushbutton action release speeds loading. The unique self-compensating gas system adjusts automatically for standard and Magnum loads. Engine-turned bolt, American walnut stock and forearm, fine checkering — all add up to the finest and most reliable automatic shotgun in the field.

MODEL 1400 MARK II FIELD GUN WITH VENTILATED RIB. All the features of the plain-barreled Model 1400 Mark II carry over to the Field Gun with ventilated rib. The same excellent performance and low recoil. With the added feature of the floating ventilated rib for quick sighting and elimination of heat distortion. The Model 1400 Mark II with plain barrel or ventilated rib is available in 12, 16, or 20 gauge. Left-hand ejection available only on 12 gauge guns.

Specifications

Symbol	Gauge	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Weight lbs	Weight kg
FIELD $192.95								
G140001	12	30	76	2¾	70	F	7	3.2
G140002	12	28	71	2¾	70	F	6⅞	3.1
G140003	12	28	71	2¾	70	M	6⅞	3.1
G140005	12	26	66	2¾	70	I.C.	6¾	3.1
G140012	16	28	71	2¾	70	F	6⅞	3.1
G140013	16	28	71	2¾	70	M	6⅞	3.1
G140015	16	26	66	2¾	70	I.C.	6¾	3.1
0021	20	28	71	2¾	70	F	6⅝	3.0
0023	20	28	71	2¾	70	M	6⅝	3.0
G140025	20	26	66	2¾	70	I.C.	6½	2.9
FIELD, LEFT HAND $197.95								
G140091	12	28	71	2¾	70	M	6⅞	3.1

Symbol	Gauge	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Weight lbs	Weight kg
FIELD WITH VENTILATED RIB $219.95								
G140051	12	30	76	2¾	70	F	7¼	3.3
G140052	12	28	71	2¾	70	F	7⅛	3.2
G140053	12	28	71	2¾	70	M	7⅛	3.2
G140055	12	26	66	2¾	70	I.C.	7	3.2
G140062	16	28	71	2¾	70	F	7	3.2
G140063	16	28	71	2¾	70	M	7	3.2
G140065	16	26	66	2¾	70	I.C.	6⅞	3.1
G140071	20	28	71	2¾	70	F	6⅞	3.1
G140073	20	28	71	2¾	70	M	6⅞	3.1
G140075	20	26	66	2¾	70	I.C.	6¾	3.1
FIELD WITH VENTILATED RIB, LEFT HAND $224.95								
G140094	12	28	71	2¾	70	M	7⅛	3.2

F = Full M = Modified IC = Improved Cylinder



New Winchester Winchoke.

MODEL 1400 MARK II FIELD GUN WITH WINCHOKE. New Winchoke interchangeable choke units give Model 1400 Mark II field guns superb versatility without unsightly muzzle bulk and bulge. These 2" units screw into the muzzle in seconds for an instant switch to upland game or waterfowl. The 1400 Mark II field gun with special Winchoke barrel is supplied with installed Modified Choke and spanner wrench. Full and Improved Cylinder Winchokes are available at extra cost. Winchoke can be obtained on 12, 16, or 20 gauge field guns, with or without ventilated rib; available on left-hand field guns only in 12 gauge.

MODEL 1400 MARK II DEER GUN. The Model 1400 Mark II Deer Gun has a specially bored 22" barrel that fires rifled slugs or buckshot loads. Ramp front sight and adjustable rear sight. Rubber recoil pad. In 12 gauge only. This deer gun is not available with left-hand ejection.

MODEL 1400 MARK II INTERCHANGEABLE BARRELS. Model 1400 Mark II Interchangeable Barrels give shooters the selection they need for all-around shotgun capability. Barrels to fit left or right-hand receivers are available: Field, Field with Winchoke, Field with Ventilated Rib, Field with Ventilated Rib and Winchoke, Trap, and Skeet. Specify left or right-hand barrel when ordering. Deer barrel is only available for right-hand receivers.

BARRELS

Field 12-16-20				$ 57.95
Field with V.R. 12, 16, 20				$ 94.95
Deer Gun	12	22"		$ 72.95
Trap	12	30"	Full	$104.95
Skeet	12-20	26"	Skeet	$ 67.95
F. Winchoke				$104.95
F.V.R. Winchoke				

Specifications

Symbol	Gauge	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Weight lbs	Weight kg
FIELD WITH WINCHOKE $202.95								
G140081	12	28	71	2¾	70	M	6⅞	3.1
G140082	16	28	71	2¾	70	M	6⅞	3.1
G140083	20	28	71	2¾	70	M	6⅝	3.0
FIELD WITH WINCHOKE, LEFT HAND $207.95								
G140093	12	28	71	2¾	70	M	6⅞	3.1
DEER $202.95								
G140010	12	22	56	2¾	70	—	6½	2.9

M = Modified

Symbol	Gauge	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Weight lbs	Weight kg
FIELD WITH VENTILATED RIB AND WINCHOKE $229.95								
G140085	12	28	71	2¾	70	M	7⅛	3.2
G140086	16	28	71	2¾	70	M	7	3.2
G140087	20	28	71	2¾	70	M	6⅞	3.1
FIELD WITH VENTILATED RIB AND WINCHOKE, LEFT HAND $234.95								
G140096	12	28	71	2¾	70	M	7⅛	3.2

Now in left-hand versions.

MODEL 1400 MARK II TRAP GUN. Take your choice of regular or Monte Carlo stock on the Model 1400 Mark II Trap Gun, stock dimensions specifically for trap shooters. Semi-fancy American walnut stock and forearm. Receiver is rust-proof and glare-proof. Short, crisp trigger pull designed for clay target competition. Exquisite checkering. Engine-turned bolt. Ventilated rib with receiver rib extension, middle sight bead, red front sight bead. Precision choke boring. Low recoil, balance, and comfort for scores to make you high gun. New left-hand ejection available only on gun with Monte Carlo stock.

MODEL 1400 MARK II SKEET GUN. The Model 1400 Mark II Skeet Gun brings new ease to skeet shooting. The push-button action release makes chambering that first shell quick and easy. Available in 12 or 20 gauge. This gun makes singles and doubles easy. With low recoil that lets you shoot all day. Ventilated rib and rib extension on receiver. Cross-bolt safety. Semi-fancy American walnut stock and forearm. Middle sighting bead. Composition butt plate. Built to take it, the Model 1400 Mark II is the most reliable automatic on the skeet field today. Left-hand ejection only in 12 gauge.

WINCHESTER RECOIL REDUCTION SYSTEM. Winchester Recoil Reduction System available on most Model 1400 Mark II field, trap, and skeet guns in 12 gauge. Not available on left-hand models.

G140008	12	30"	Full	$206.95
G140058	12	30"	Full V.R.	$242.95
G140009	12	28"	Modified	$206.95
G140059	12	28"	Mod. V.R.	$242.95
G140037	12	30"	Full Trap (V.R.) M.C.	$282.95
G140033	12	26"	Skeet (V.R.)	$272.95

Specifications

Symbol	Gauge	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Weight lbs	Weight kg
TRAP WITH VENTILATED RIB, REGULAR STOCK $254.95								
G140035	12	30	76	2¾	70	F	8¼	3.7
TRAP WITH VENTILATED RIB, MONTE CARLO STOCK $264.95								
G140036	12	30	76	2¾	70	F	8¼	3.7
TRAP WITH VENTILATED RIB, MONTE CARLO STOCK, LEFT HAND $269.95								
G140099	12	30	76	2¾	70	F	8¼	3.7

F = Full SK = Skeet

Symbol	Gauge	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Weight lbs	Weight kg
SKEET WITH VENTILATED RIB $254.95								
G140031	12	26	66	2¾	70	SK	7½	3.4
G140032	20	26	66	2¾	70	SK	7½	3.4
SKEET WITH VENTILATED RIB, LEFT HAND $259.95								
G140097	12	26	66	2¾	70	SK	7½	3.4

MODEL 1200 SPECIFICATIONS

Symbol	Overall Length in	Overall Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm
FIELD								
aG120001	50⅝	129	14	35.6	1⅜	3.5	2⅜	6.0
aG120002	48⅝	124	14	35.6	1⅜	3.5	2⅜	6.0
aG120003	48⅝	124	14	35.6	1⅜	3.5	2⅜	6.0
aG120005	46⅝	118	14	35.6	1⅜	3.5	2⅜	6.0
aG120012	48⅝	124	14	35.6	1⅜	3.5	2⅜	6.0
aG120013	48⅝	124	14	35.6	1⅜	3.5	2⅜	6.0
aG120015	46⅝	118	14	35.6	1⅜	3.5	2⅜	6.0
aG120021	48⅝	124	14	35.6	1⅜	3.5	2⅜	6.0
aG120023	48⅝	124	14	35.6	1⅜	3.5	2⅜	6.0
aG120025	46⅝	118	14	35.6	1⅜	3.5	2⅜	6.0
FIELD WITH VENTILATED RIB								
aG120051	50⅝	129	14	35.6	1½	3.8	2½	6.4
aG120052	48⅝	124	14	35.6	1½	3.8	2½	6.4
aG120053	48⅝	124	14	35.6	1½	3.8	2½	6.4
aG120055	46⅝	118	14	35.6	1½	3.8	2½	6.4
aG120062	48⅝	124	14	35.6	1½	3.8	2½	6.4
aG120063	48⅝	124	14	35.6	1½	3.8	2½	6.4
aG120065	46⅝	118	14	35.6	1½	3.8	2½	6.4
aG120071	48⅝	124	14	35.6	1½	3.8	2½	6.4
aG120073	48⅝	124	14	35.6	1½	3.8	2½	6.4
aG120075	46⅝	118	14	35.6	1½	3.8	2½	6.4
FIELD WITH WINCHOKE								
aG120081	48⅝	124	14	35.6	1⅜	3.5	2⅜	6.0
aG120082	48⅝	124	14	35.6	1⅜	3.5	2⅜	6.0
aG120083	48⅝	124	14	35.6	1⅜	3.5	2⅜	6.0
FIELD WITH VENTILATED RIB AND WINCHOKE								
aG120085	48⅝	124	14	35.6	1½	3.8	2½	6.4
aG120086	48⅝	124	14	35.6	1½	3.8	2½	6.4
aG120087	48⅝	124	14	35.6	1½	3.8	2½	6.4
FIELD MAGNUM								
aG120041	50⅝	129	14	35.6	1⅜	3.5	2⅜	6.0
aG120027	48⅝	124	14	35.6	1⅜	3.5	2⅜	6.0
FIELD MAGNUM WITH VENTILATED RIB								
aG120054	50⅝	129	14	35.6	1½	3.8	2½	6.4
aG120077	48⅝	124	14	35.6	1½	3.8	2½	6.4
DEER								
cG120010	42⅝	108	14	35.6	1½	3.8	2⅜	6.0
TRAP WITH VENTILATED RIB								
bG120035	51	130	14⅜	36.5	1⅜	3.5	1⅞	4.8
TRAP WITH VENTILATED RIB,* MONTE CARLO STOCK								
bG120036	51	130	14⅜	36.5	1½	3.8	2⅛	5.4
SKEET WITH VENTILATED RIB								
●bG120031	46⅝	118	14	35.6	1½	3.8	2½	6.4
●bG120032	46⅝	118	14	35.6	1½	3.8	2½	6.4

MODEL 1400 SPECIFICATIONS

Symbol	Overall Length in	Overall Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm
FIELD								
aG140001	50⅝	129	14	35.6	1⅜	3.5	2⅜	6.0
aG140002	48⅝	124	14	35.6	1⅜	3.5	2⅜	6.0
aG140003	48⅝	124	14	35.6	1⅜	3.5	2⅜	6.0
aG140005	46⅝	118	14	35.6	1⅜	3.5	2⅜	6.0
aG140012	48⅝	124	14	35.6	1⅜	3.5	2⅜	6.0
aG140013	48⅝	124	14	35.6	1⅜	3.5	2⅜	6.0
aG140015	46⅝	118	14	35.6	1⅜	3.5	2⅜	6.0
aG140021	48⅝	124	14	35.6	1⅜	3.5	2⅜	6.0
aG140023	48⅝	124	14	35.6	1⅜	3.5	2⅜	6.0
aG140025	46⅝	118	14	35.6	1⅜	3.5	2⅜	6.0
FIELD, LEFT HAND								
G140091	48⅝	124	14	35.6	1⅜	3.5	2⅜	6.0
FIELD WITH VENTILATED RIB								
aG140051	50⅝	129	14	35.6	1½	3.8	2½	6.4
aG140052	48⅝	124	14	35.6	1½	3.8	2½	6.4
aG140053	48⅝	124	14	35.6	1½	3.8	2½	6.4
aG140055	46⅝	118	14	35.6	1½	3.8	2½	6.4
aG140062	48⅝	124	14	35.6	1½	3.8	2½	6.4
aG140063	48⅝	124	14	35.6	1½	3.8	2½	6.4
aG140065	46⅝	118	14	35.6	1½	3.8	2½	6.4
aG140071	48⅝	124	14	35.6	1½	3.8	2½	6.4
aG140073	48⅝	124	14	35.6	1½	3.8	2½	6.4
aG140075	46⅝	118	14	35.6	1½	3.8	2½	6.4
FIELD WITH VENTILATED RIB, LEFT HAND								
aG140094	48⅝	124	14	35.6	1½	3.8	2½	6.4
FIELD WITH WINCHOKE								
aG140081	48⅝	124	14	35.6	1½	3.8	2½	6.4
aG140082	48⅝	124	14	35.6	1½	3.8	2½	6.4
aG140083	48⅝	124	14	35.6	1½	3.8	2½	6.4
FIELD WITH WINCHOKE, LEFT HAND								
aG140093	48⅝	124	14	35.6	1½	3.8	2½	6.4
FIELD WITH VENTILATED RIB WINCHOKE								
aG140085	48⅝	124	14	35.6	1½	3.8	2½	6.4
aG140086	48⅝	124	14	35.6	1½	3.8	2½	6.4
aG140087	48⅝	124	14	35.6	1½	3.8	2½	6.4
FIELD WITH VENTILATED RIB WINCHOKE, LEFT HAND								
aG140096	42⅝	124	14	35.6	1½	3.8	2½	6.4
DEER								
cG140010	42⅝	108	14	35.6	1½	3.8	2⅜	6.0
TRAP WITH VENTILATED RIB, REGULAR STOCK								
bG140035	51	130	14⅜	36.5	1⅜	3.5	1⅞	4.8
TRAP WITH VENTILATED RIB,* MONTE CARLO STOCK								
bG140036	51	130	14⅜	36.5	1 7/16	3.6	1½	3.8
TRAP WITH VENTILATED RIB,* MONTE CARLO STOCK, LEFT HAND								
bG140099	51	130	14⅜	36.5	1 7/16	3.6	1½	3.8
SKEET WITH VENTILATED RIB								
●bG140031	46⅝	118	14	35.6	1½	3.8	2½	6.4
●bG140032	46⅝	118	14	35.6	1½	3.8	2½	6.4
SKEET WITH VENTILATED RIB, LEFT HAND								
●bG140097	46⅝	118	14	35.6	1½	3.8	2½	6.4

a = Metal Bead Front Sight. b = Rifle Type Front & Rear Sight. c = Metal Middle & Red Front Bead Sight.
* Drop at Monte Carlo = 1½ in./3.8 cm.
● No Recoil Pad.

MODEL 101

Over-and under shotguns. Double-barreled quality.

MODEL 101 FIELD GUN. The Model 101 Field Gun shoots as superbly as it looks. Light-carrying and fast-swinging. With every custom designed and quality feature to satisfy the most demanding shooter. The stock and forearm are French walnut with narrow-border hand-checkering. Breech is hand-finished to close with micrometer perfection. Hand-engraved receiver. Rugged composition butt plate. Ventilated rib. Wide variety of choke combinations and barrel lengths are available. One convenient barrel selector and safety button does all the work: gives instant option to fire either barrel first; selective ejection of fired shotshell case only; mechanical action, not recoil, lets you fire the second barrel simply by repulling the trigger; two position safety pushes forward to fire, back for safety on. Chrome-plated bores and chambers.

MODEL 101 MAGNUM FIELD GUN. Mix 3″ Magnum and 2¾″ standard loads with the 101 Magnum Field Gun. Shoot upland game or waterfowl with the same gun. The combined selector-safety button gives immediate option to fire either barrel first. Field Magnums have chrome-plated bores and chambers which virtually eliminate rusting, corrosion, and leading. Rubber recoil pad. All other fine features of the Model 101 Field Gun. In 12 or 20 gauge.

Specifications

Symbol	Gauge	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Weight lbs	Weight kg
FIELD		$350.00						
G1015	12	26	66	2¾	70	IC/M	7¼	3.3
G10125	20	26½	67	3	76	IC/M	6¼	2.8
G1013	12	28	71	2¾	70	M/F	7½	3.5
G10123	20	28	71	3	76	M/F	6⅜	2.9
G1011	12	30	76	2¾	70	M/F	7¾	3.5
FIELD MAGNUM		$350.00						
G1012	12	30	76	3	76	F/F	7¾	3.5
G10121	20	30	76	3	76	F/F	6½	2.9

F = Full M = Modified IC = Improved Cylinder

MODEL 101



The aristocrat of the skeet field.

MODEL 101 SKEET GUN. The 101 Skeet Gun powders clay birds with astonishing free-swinging ease, balance and accuracy. Every feature of this exceptional shotgun complements the competitive nature of the skeet shooter. The ventilated rib eliminates heat distortion, provides a flat sighting surface and puts you on target fast. The middle sighting bead maintains shooter's perfect sight alignment with the front sight bead. Rich, high gloss, fine-grained French walnut stock and forearm are skillfully fitted to the metal. All visible external surfaces are engine turned. Barrel selector and safety are combined in a single button that lets the shooter choose the barrel he wants to fire first. The second barrel fires simply by repulling t trigger. Convenient two-position safety. Selective ejectio The fine balance and shorter overall length of this 101 Skeet Gun keeps you ahead of the targets. Composition butt plate, fluted stock, comfortable pistol grip. Feature on top of feature for skeet shooting perfection. In 12, 20, 28 gauge, and 410 bore.

Specifications

Symbol	Gauge	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Weight lbs	Weight kg
SKEET $350.00								
G10110	12	28	71	2¾	70	SK/SK	7½	3.4
G10120	20	28	71	2¾	70	SK/SK	6½	2.9

Symbol	Gauge	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Weight lbs	Weight kg
SKEET $350.00								
G10130	28	28	71	2¾	70	SK/SK	6½	2.9
G10140	410	28	71	2½	65	SK/SK	6½	2.9

SK = Skeet

MODEL 101

Perfect for Singles or Doubles.

MODEL 101 TRAP GUN. For trap shooters who prefer double-barreled shotguns, the Model 101 Trap Gun is the ght choice. Over-and-under barrels provide a choice of okes for doubles shooting. And choose from a variety of barrel lengths. The trap shooter can select a regular or Monte Carlo stock. Either one will be of fine French walnut with thin, fluted comb and rubber recoil pad. The pistol grip and fluted forearm are hand-checkered. Hand-engraved receiver and trigger guard. The breech is precisely machined for strength and easy, break-open action. Fire either barrel first. 12 gauge only.

MODEL 101 SINGLE BARREL TRAP GUN. The Single Barrel 101 Trap Gun has a Monte Carlo Stock. Variety of barrel lengths and chokes. Bottom barrel area is filled in solid at the breech. A nylon plug absorbs any accidental dry firing.

All trap models are furnished with ventilated rib and middle bead sight. The 101 is an excellent choice for the trap shooter who wants the best.

Specifications

Symbol	Gauge	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Weight lbs	Weight kg
TRAP, STRAIGHT STOCK $370.00								
G10118	12	30	76	2¾	70	F/F	8	3.6
TRAP WITH MONTE CARLO STOCK $380.00								
G10161	12	30	76	2¾	70	M/F	8¼	3.7
G10162	12	30	76	2¾	70	IM/F	8¼	3.7
G1016	12	30	76	2¾	70	F/F	8¼	3.7

F = Full M = Modified IM = Improved Modified

Symbol	Gauge	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Weight lbs	Weight kg
TRAP SINGLE BARREL, MONTE CARLO STOCK $395.00								
G10167	12	32	81	2¾	70	IM	8½	3.9
G10168	12	32	81	2¾	70	F	8½	3.9
G10169	12	34	86	2¾	70	F	8½	3.9

MODEL 101 SPECIFICATIONS

Symbol	Overall Length in	Overall Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Pitch Down in	Pitch Down cm
FIELD										
aG1015	42¾	109	14	35.6	1½	3.8	2½	6.4	2	5.1
aG10125	43¼	110	14	35.6	1½	3.8	2½	6.4	2	5.1
aG1013	44¾	114	14	35.6	1½	3.8	2½	6.4	2	5.1
aG10123	44¾	114	14	35.6	1½	3.8	2½	6.4	2	5.1
aG1011	46¾	119	14	35.6	1½	3.8	2½	6.4	2	5.1
MAGNUM										
a★G1012	46¾	119	14	35.6	1½	3.8	2½	6.4	2	5.1
a★G10121	46¾	119	14	35.6	1½	3.8	2½	6.4	2	5.1
SKEET										
bG10110	44¾	114	14	35.6	1½	3.8	2½	6.4	2	5.1
bG10120	44¾	114	14	35.6	1½	3.8	2½	6.4	2	5.1
bG10130	44¾	114	14	35.6	1½	3.8	2½	6.4	2	5.1
bG10140	44¾	114	14	35.6	1½	3.8	2½	6.4	2	5.1
TRAP, *MONTE CARLO STOCK										
b★G10161	47⅛	120	14⅜	36.5	1⅜	3.5	2⅛	5.4	1¼	3.2
b★G10162	47⅛	120	14⅜	36.5	1⅜	3.5	2⅛	5.4	1¼	3.2
b★G1016	47⅛	120	14⅜	36.5	1⅜	3.5	2⅛	5.4	1¼	3.2
TRAP SINGLE BARREL, *MONTE CARLO STOCK										
b★G10167	49⅛	125	14⅜	36.5	1⅜	3.5	2⅛	5.4	1¼	3.2
b★G10168	49⅛	125	14⅜	36.5	1⅜	3.5	2⅛	5.4	1¼	3.2
b★G10169	51⅛	130	14⅜	36.5	1⅜	3.5	2⅛	5.4	1¼	3.2
TRAP, STRAIGHT STOCK										
bG1018	47⅛	120	14⅜	36.5	1⅜	3.5	2⅛	5.4	1¼	3.2

a = Metal Bead Front Sight, b = Metal Bead Front & Middle
* Drop at Monte Carlo = 1⅜ in./3.5 cm
★ With Recoil Pad

MODEL 21



DOUBLE BARREL SHOTGUN

MODEL 12

SLIDE ACTION SHOTGUN, SUPER PIGEON GRADE

Custom-made masterpieces.

MODEL 21 DOUBLE BARREL SHOTGUN. The Model 21 Double Barrel Shotgun is the finest shotgun in the gun world. Hunting and shooting become a personalized adventure with this superb gun made to your own measurements. Only the finest wood and steel go into its making. Choose from three styles: Custom Grade, Pigeon Grade, or Grand American. For the sportsman who must own the world's most outstanding firearm.

Custom Grade, $1,625.00
Pigeon Grade, $3,725.00
Grand American, $5,000.00

MODEL 12 SLIDE ACTION SHOTGUN. The pride of Winchester craftsmen is evident in the Model 12 Super Pigeon Grade Slide Action Shotgun. The full fancy American walnut stock will be custom made to your personal requirements with Monte Carlo, cheek piece, and offset as options. Choice of three distinctive receiver engravings. All working parts are hand-smoothed and fitted. Availabl in 12 gauge only. Standard barrel lengths and choke

Super Pigeon Grade, $1,185.00

For full details on Model 12 or Model 21 Shotguns, contact your nearest Winchester office.

MODEL 370

Top quality in a low-cost shotgun. New Youth Model for youngsters.

MODEL 370 SINGLE SHOT. The Model 370 Single Shot Shotgun combines economy and quality to make it the ideal utility gun. As rugged and reliable as far more expensive shotguns. And the 370 was designed and tested to stand up to hard use. The Winchester Proof Steel barrel comes in a variety of lengths, all with full choke. Stock and forearm are of North American hardwood with walnut finish. Contoured composition butt plate. Comfortable, slim pistol grip. The action release lever swings right or left for convenience in opening the breech. Exterior hammer, brass bead sight, and automatic ejector. The Model 370 is available in 12, 16, 20, or 28 gauge, and 410 bore. The 12-gauge model is also available with an extra-long 36″ barrel.

MODEL 370 YOUTH. For the new shooter, Winchester introduces the 370 Youth model. This model has all the features of the adult-sized 370, but with a shorter barrel and youth-size stock for the young beginner. Rubber recoil pad cushions the shoulder. This new single shot shotgun will help teach a youngster to make every shot count. Utmost safety and reliability. Available in 20 gauge with improved modified choke and in 410 bore with full choke. Takes down to three pieces for easy cleaning and storage.

Specifications

Symbol		Gauge	Overall Length in	Overall Length cm	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Weight lbs	Weight kg
G37000	$38.00	12	52¼	128	36	91	3	76	F	14	35.6	1⅜	3.5	2⅜	6.0	6¼	2.8
G37001		12	48¼	123	32	81	3	76	F	14	35.6	1⅜	3.5	2⅜	6.0	6	2.7
G37002		12	46¼	117	30	76	3	76	F	14	35.6	1⅜	3.5	2⅜	6.0	6¾	2.6
G37011		16	46¼	117	30	76	2¾	70	F	14	35.6	1⅜	3.5	2⅜	6.0	6	2.7
G37013	$34.95	16	48¼	123	32	81	2¾	70	F	14	35.6	1⅜	3.5	2⅜	6.0	6¼	2.8
[illegible]7022		20	44¼	112	28	71	3	76	F	14	35.6	1⅜	3.5	2⅜	6.0	6	2.7
[illegible]7035		28	44¼	112	28	71	2¾	70	F	14	35.6	1⅜	3.5	2⅜	6.0	6¼	2.8
G37041		410	42¼	107	26	66	3	76	F	14	35.6	1⅜	3.5	2⅜	6.0	5½	2.5
Youth	$37.95																
G37025		20	40¾	103	26	66	3	76	I.M.	12½	31.8	1⅜	3.5	2⅜	6.0	5½	2.5
G37045		410	40¾	103	26	66	3	76	F	12½	31.8	1⅜	3.5	2⅜	6.0	5½	2.5

F = Full I M = Improved Modified

Winchester Cooey— Rim Fire Rifles—Center Fire Rifles and Carbines—and Shotguns.

Traditional Winchester quality is the hallmark of every Winchester Cooey sporting firearm.

Fine Cooey 22s combine sound design, accuracy and reliability at exceptionally low cost. Winchester Cooey rim fire rifles are offered in a variety of models. Bolt action single shot rifles include the Model 39, styled for the young novice, and the Model 750 Deluxe with extra features for the more advanced shooter. The Model 64 is your best buy in a semi-automatic 22, available in either Standard or Deluxe models. Rounding out the Winchester Cooey selection is the Model 600 Repeating Rifle for rapid, smooth shooting. These Winchester Cooey sporting arms are the finest in the medium-priced field.

Designed for sportsmen who know and want great gun value.

Introduced in 1968, Cooey Model 710 rifles and carbines have gained wide acceptance by Canadian hunters. This finely detailed, strong bolt action is the ultimate in economy and reliability. Solid craftsmanship designed to measure up against the toughest terrain and the biggest game.

Rugged and dependable, the Cooey 840 single barrel shotgun continues to be Canada's first choice in a lightweight, inexpensive single shot shotgun. The 840 has all the looks and handling ease of much higher priced guns.



Top value in bolt action rim fire rifles.

MODEL 39 SINGLE SHOT. The Model 39 gives the young hunter the most rim fire rifle for his money. This exceptionally economical 22 is lightweight, safe, and easy handling. The strong, reliable bolt action handles Short, Long, or Long Rifle cartridges on a single shot basis for utmost safety. The one-piece stock of walnut-finished hardwood has an arched pistol grip and metal butt plate. Bead-post front sight and adjustable rear sight. The shorter overall length and light weight of the Model 39 make it the perfect rifle for teaching the young shooter the basics of good gun handling.

MODEL 750 SINGLE SHOT DELUXE. For the more advanced shooter, the Model 750 Deluxe offers dependability, accuracy, and deluxe features. Every feature of this single shot 22 is designed to make its owner a better marksman. The hardwood stock is walnut-finished with Monte Carlo profile and contoured hard rubber butt plate. Bead-post front sight and adjustable rear sight. Sure-grip checkering decorates the forearm and pistol grip areas. Sling swivels, pistol grip cap, and white butt plate liner add to the deluxe quality of the 750.

Specifications

Symbol	Caliber	Magazine Capacity	Overall Length		Barrel Length		Length of Pull		Drop at Comb		Drop at Heel		Drop at Monte Carlo		Weight	
			in	cm	in	cm	in	cm	in	cm	in	cm	in	cm	lbs	kg
M/39 $ 21.95 3901	22 S., L., L.R.	1	38½	98	21⅞	56	13½	34.3	1¾	4.4	2¼	5.7	1½	3.8	4½	2.0
M/750 $ 26.95 C75002	22 S., L., L.R.	1	40½	102	23¾	60	13½	34.3	1¾	4.4	2¼	5.7	1½	3.8	5	2.3

S. = Short L. = Long L.R. = Long Rifle



Fast-firing rim fire fun.

MODEL 600 REPEATING RIFLE—TUBE. The Model 600 Repeater offers fast, effortless shooting in a stylish 22 rifle. Its extra-long magazine tube holds 18 Short, 14 Long, or 12 Long Rifle cartridges. The receiver is drilled and tapped for left-side telescope mounts. Walnut-finished, one-piece hardwood stock. Monte Carlo. Contoured hard rubber butt plate. Distinctive checkering for good looks and good gripping. Bead-post front sight and adjustable rear sight. All the features of more expensive rim fire rifles.

MODEL 64 SEMI-AUTOMATIC — CLIP — STANDARD & DELUXE. Select a Model 64 for quick action and great value in a semi-automatic rim fire rifle. Available in eith Standard or Deluxe models, the Winchester Cooey 64 wa designed for fast-firing accuracy. The Standard model has a durable one-piece stock of walnut-finished hardwood. Free-floating 20" barrel. Bead-post front sight and adjustable elevating rear sight. Monte Carlo profile and hard rubber butt plate on stock. The detachable clip magazine holds eight Long Rifle cartridges. High-strength receiver is grooved for tip-off scope mounts. The Model 64 Deluxe has all the features of the Standard and more: detailed checkering on forearm and pistol grip, white butt plate liner, pistol grip cap, and sling swivels.

Specifications

Symbol	Caliber	Magazine Capacity	Overall Length in	Overall Length cm	Barrel Length in	Barrel Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Drop at Monte Carlo in	Drop at Monte Carlo cm	Weight lbs	Weight kg
M600	$ 37.95															
C60001	22 S, L., L.R.	18S., 14L., 12L.R.	40½	102	24	60	13½	34.3	1¾	4.4	2¼	5.7	1½	3.8	6	2.7
M/64	$ 45.95															
C6401	22 L.R.	8	41	104	20¼	51	13½	36.2	1¾	4.4	2¼	5.7	1½	3.8	5¼	2.4
DELUXE	$ 49.95															
C6402	22 L.R.	8	41	104	20¼	51	13½	36.2	1¾	4.4	2¼	5.7	1½	3.8	5¼	2.4

S. = Short L. = Long L.R. = Long Rifle



A duo of dependable Canadian Bolt Actions.

MODEL 710 BOLT ACTION CENTER FIRE RIFLE AND CARBINE. The Winchester-Cooey Model 710 is the practical kind of gun you will want with you when the going's really rough. It provides the accuracy and dependability of the famous Winchester Model 70 bolt action plus unmatched pride of ownership at a matchless low price. The Model 710 rifle and carbine feature a free floating barrel, receiver of Winchester gun quality magnafluxed steel. Durable Monte Carlo stock, pistol grip and pistol grip cap, walnut-finished and highly polished. White line spacers add to the handsome features of the stock. Folding leaf rear sight, detachable sling swivels. Side rocker, two position safety. As an added safety factor, a red cocking indicator. Adjustable trigger. Drilled and tapped for scope mounts and receiver sights. Here is bolt action dependability at its best, in a wide variety of popular Canadian calibers.

Specifications

Symbol	Caliber	Magazine Capacity	Overall Length in	Overall Length cm	Barrel Length in	Barrel Length cm	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Drop at Monte Carlo in	Drop at Monte Carlo cm	Weight lbs	Weight kg
RIFLE	$110.95															
C71061	225 Win.	4*	42½	108	22	56	13½	34.3	1¾	4.4	2⅛	5.4	1½	3.8	7	3.2
C71062	243 Win.	4*	42½	108	22	56	13½	34.3	1¾	4.4	2⅛	5.4	1½	3.8	7	3.2
C71063	270 Win.	4*	42½	108	22	56	13½	34.3	1¾	4.4	2⅛	5.4	1½	3.8	7	3.2
C71064	30-06 Spgfld.	4*	42½	108	22	56	13½	34.3	1¾	4.4	2⅛	5.4	1½	3.8	7	3.2
C71060	308 Win.	4*	42½	108	22	56	13½	34.3	1¾	4.4	2⅛	5.4	1½	3.8	7	3.2
CARBINE	$110.95															
C71022	243 Win.	4*	39½	100	19	48	13½	34.3	1¾	4.4	2⅛	5.4	1½	3.8	6¾	3.1
C71023	270 Win.	4*	39½	100	19	48	13½	34.3	1¾	4.4	2⅛	5.4	1½	3.8	6¾	3.1
C71024	30-06 Spgfld.	4*	39½	100	19	48	13½	34.3	1¾	4.4	2⅛	5.4	1½	3.8	6¾	3.1
C71020	308 Win.	4*	39½	100	19	48	13½	34.3	1¾	4.4	2⅛	5.4	1½	3.8	6¾	3.1

*Add one round for cartridge in chamber

MODEL 840



Low-cost Utility gun for Field and Farm.

MODEL 840 SINGLE SHOT SHOTGUN. Here is the perfect utility gun for the farmer or hunter who needs low-cost reliability. Perfect also for the boy who has just learned how to shoot and wants his own shotgun. The Model 840 was designed for hard use with features that speak for themselves: Walnut-finished stock and forearm with sure-grip checkering . . . brass bead front sight . . . automatic ejector . . . outside hammer for greater safety . . . black, non-skid hard rubber butt plate. The action release lever swings to either side for right or left-handed shooting convenience. Metal trigger guard, blued receiver. Available in all gauges with full choke barrel only. 12, 20 and 410 gauges chambered for 3″ shotshells. 16 and 28 gauges chambered for 2¾″ shotshells.

Specifications

Symbol		Gauge	Overall Length in	Overall Length cm	Barrel Length in	Barrel Length cm	Chamber in	Chamber mm	Choke	Length of Pull in	Length of Pull cm	Drop at Comb in	Drop at Comb cm	Drop at Heel in	Drop at Heel cm	Weight lbs	Weight kg
C84000	$38.00	12	52⅛	132	36	91	2¾	70	F	14	35.6	1⅜	3.5	2⅜	6.0	6¼	2.8
C84002		12	46¼	117	30	76	2¾	70	F	14	35.6	1⅜	3.5	2⅜	6.0	5¾	2.6
C84011		16	46¼	117	30	76	2¾	70	F	14	35.6	1⅜	3.5	2⅜	6.0	6¼	2.8
C84022	$34.95	20	44¼	112	28	71	2¾	70	F	14	35.6	1⅜	3.5	2⅜	6.0	6	2.7
C84035		28	44¼	112	28	71	2¾	70	F	14	35.6	1⅜	3.5	2⅜	6.0	6¼	2.8
C84041		410	42¼	107	26	66	3	76	F	14	35.6	1⅜	3.5	2⅜	6.0	5½	2.5

F = Full

Winchester Shot Shells.

The finest you can buy. In the field for game or for shooting trap and skeet, Winchester shot shells pay off with power, pattern, and performance. Our plastic cases are the strongest in the world, with slick, scuff-proof surfaces for fast, jam-free performance. Only the finest quality brass is used. Hard, uniformly round shot flies true. Clean, progressive-burning powder for fast ignition. Primers are non-corrosive and absolutely reliable. Our Super-X Mark 5 shells utilize a plastic collar to protect the shot through the barrel and give denser patterns—no stray pellets, no wayward shot. Double A Target Loads put more shot in the target area. Designed for that extra measure of accuracy. Every Winchester shot shell is made for all-weather dependability and top performance. Canadian-made and competitively priced.

SUPER X—LONG RANGE—SHORT SHOT STRING—STAINLESS NON-CORROSIVE PRIMING

Symbol	Gauge	Length of Shell-in.	Powder Dram Equiv.	Shot-oz.	Shot Size	Case Weight	Sugg. Retail
■ SX10	10	2⅞	Max.	1⅝	4	73	$ 7.20
■ SX10M	10	3½ Mag.	Max.	2	2	87	$12.25
SX12P	12	2¾	Max.	1¼	BB, 2, 4, 5, 6, 7½	59	$ 4.90
SX12PH	12	2¾ Mag.	Max.	1½	BB, 2, 4, 5, 6	65	$ 5.40
SX12PM	12	3 Mag.	Max.	1⅝	BB, 2, 4, 5, 6	71	$ 5.75
SX123P	12	3 Mag.	Max.	1⅞	BB, 2, 4, 5	78	$ 6.10
SX16PH	16	2¾	3¼	1⅛	BB, 2, 4, 5, 6, 7½	50	$ 4.60
SX16PM	16	2¾ Mag.	Max.	1¼	BB, 2, 4, 5, 6, 7½	55	$ 5.00
SX20P	20	2¾	Max.	1	BB, 2, 4, 5, 6, 7½, 9	46	$ 4.40
SX20PH	20	2¾ Mag.	Max.	1⅛	2, 4, 6, 7½	50	$ 4.60
SX20PM	20	3 Mag.	Max.	1¼	2, 4, 6, 7½	55	$ 4.95
■ SX28	28	2¾	Max.	¾	4, 6, 7½	37	$ 4.25
■ SX28H	28	2¾ Mag.	Max.	1	6, 7½, 8, 9	44	$ 4.45
■ SX41	410	2½	Max.	½	4, 5, 6, 7½	23	$ 3.70
■ SX413	410	3	Max.	¾	4, 5, 6, 7½	32	$ 3.90

SUPER X H. D. MAGNUM LOADS

SX12D	12	2¾ Mag.	Max.	1½	2, 4	67	$ 5.75

SUPER X WITH LUBALOY (COPPERIZED) SHOT

L12P	12	2¾	Max.	1¼	2, 4, 5, 6, 7½	58	$ 6.80
L12PH	12	2¾ Mag.	Max.	1½	2, 4	66	$ 7.65
L12PJ	12	3 Mag.	Max.	1⅜	2, 4, 6	62	$ 7.65
L12PM	12	3 Mag.	Max.	1⅝	2, 4, 6	70	$ 8.85
L20P	20	2¾	Max.	1	4, 5, 6, 7½	46	$ 6.00
L20PM	20	3 Mag.	Max.	1⅛	6	55	$ 8.05
L20PMH	20	3 Mag.	Max.	1 3/16	4	56	$ 8.45

SUPER X MARK 5 SUPER BUCKSHOT LOAD

SX12PB	12	2¾ Mag.	Max.		No. 00 Buck 12 Pell.	66	$ 6.10
SX123PB	12	3 Mag.	Max.		No. 00 Buck 15 Pell.	81	$ 6.85
SX12P1B	12	2¾	Max.		No. 1 Buck 16 Pell.	66	$ 5.55
SX12P4B	12	2¾	Max.		No. 4 Buck 27 Pell.	60	$ 5.55
SX12PMB	12	3 Mag.	Max.		No. 4 Buck 41 Pell.	79	$ 6.85
SX16PB	16	2¾	Max.		No. 1 Buck 12 Pell.	55	$ 5.45
SX20PB	20	2¾	Max.		No. 3 Buck 20 Pell.	49	$ 5.40

SUPER X RIFLED SLUG LOADS

SX12PRS	12	2¾	Max.	1	Rifled Slug	49	$ 1.45
● SX16PRS	16	2¾	Max.	⅞	Rifled Slug	42	$ 1.30
● SX20PRS	20	2¾	Max.	⅝	Rifled Slug	36	$ 1.25
■ SX41RS	410	2½	Max.	⅕	Rifled Slug	15	$ 1.20

XPERT MARK 5 HEAVY FIELD LOAD

Symbol	Gauge	Length of Shell-in.	Powder Dram Equiv.	Shot-oz.	Shot Size	Case Weight	Sugg. Retail
XP12HCV	12	2¾	Max.	1¼	2, 4, 5, 6, 7½	57	$ 4.35

XPERT MARK 5 STANDARD FIELD LOADS

XP12SCV	12	2¾	Max.	1⅛	2, 4, 5, 6, 7½	53	$ 3.95
XP16V	16	2¾	2½	1	BB, 2, 4, 5, 6, 8	46	$ 3.75
XP20V	20	2¾	2¼	⅞	4, 5, 6, 7½	40	$ 3.60

XPERT BRUSH LOADS

● XP12BRP	12	2¾	3	1⅛	8	54	$ 5.20

WINCHESTER DOUBLE A TARGET LOADS

W12AA	12	2¾	2¾	1⅛	7½, 8, 9 (Skeet)	54	$ 3.65
W12MAA	12	2¾	3	1⅛	7½, 8, 9 (Skeet)	54	$ 3.65
W20AA	20	2¾	2¼	⅞	9 (Skeet)	43	$ 3.35

XPERT SUPER SKEET LOADS (NO COLLAR)

■ XT12	12	2¾	2¾	1⅛	9 (Skeet)	54	$ 3.40
■ XT12M	12	2¾	3	1⅛	9 (Skeet)	54	$ 3.40
■ XT20	20	2¾	2¼	⅞	9 (Skeet)	43	$ 3.[illegible]

SUPER X TARGET LOADS

SX289	28	2¾	Max.	¾	9 (Skeet)	37	$ 3.85
SX419	410	2½	Max.	½	9 (Skeet)	23	$ 3.30
SX4139	410	3	Max.	¾	9 (Skeet)	32	$ 3.90

DOUBLE A INTERNATIONAL TRAP LOAD

W12AH	12	2¾	3¼	1¼	7½, 8	57	$ 3.80
WN12AH	12	2¾	3¼	1¼	7½, 8 (Nickle Plated Shot)	57	$ 6.10

WINCHESTER TRACER LOAD

WT12PT	12	2¾	3	1⅛	8	56	$ 5.95

WESTERN FIELD TRIAL POPPER-LOAD

■ XP12FBL	12	2¾			Blank	35	$ 3.65

Winchester Rim Fire and Center Fire Cartridges.

Accurate. Powerful. Reliable. Canadian-made. Winchester rim fire and center fire cartridges are manufactured of the finest components. Only the highest quality brass is used. The best powder, lead, and metals go into their making. And Winchester makes all of its own components. Cartridges scientifically engineered for high accuracy, controlled mushrooming, and peak residual energy. All constantly developed and improved to give the best performance. Super-X and Xpert—competitively priced with Canadians in mind.

SUPER X 22 RIMFIRE CARTRIDGES (HIGH VELOCITY)

Symbol	Cartridges	Bullet (Gr.)	No. in Box	M's per Case	Case Weight—Lbs.	Sugg. Retail
SX22S	22 Short, L	29	50	5	30	$ .95
SX22SH	22 Short H.P., L	27	50	5	29	$ 1.05
SX22L	22 Long, L	29	50	5	32	$ 1.03
SX22LR	22 Long Rifle, L	40	50	5	40	$ 1.17
SX22LRH	22 Long Rifle H.P., L	37	50	5	39	$ 1.28
SX22LRS	22 L.R. Shot, No. 12 Shot	25	50	10	63	$ 2.55
SX22WRF	22 W.R.F., L	45	50	5	52	$ 3.35
SX22WMR	22 Winch. Mag. R.F., J.H.P.	40	50	5	51	$ 4.35
SX22MR1	22 Winch. Mag. R.F., F.M.C.	40	50	5	51	$ 4.35

XPERT 22 RIMFIRE CARTRIDGES (Standard Velocity—Target & Sporting)

XP22LR	22 Long Rifle, Lead	40	50	5	40	$ 1.17

SUPER MATCH RIMFIRE CARTRIDGES

SM22LR	22 L.R. Mk III, Lead	40	50	10	80	$ 1.50
SM22LR4	22 L.R. Mk IV Pistol, Lead	40	50	10	80	$ 1.40

OTHER WESTERN RIMFIRE CARTRIDGES

W22BL	22 Short Blank		50	10	19	$ 1.35
KS22S1	22 Short Kant Splash, D	29	500	10	56	$11.00
SKS22S	22 Short Super Kant Splash, D	15	500	10	57	$11.00
A22	22 Win. Auto, L	45	50	5	49	$ 3.35

CENTREFIRE RIFLE CARTRIDGES

Cartridge	Symbol	Bullet (Gr.)	Primer Number	Cartridges Per Box	Case Weight—Lbs.	Sugg. Retail Per Box
218 Bee	*218B	46 O.P.E.	6½	2	41	$11.60
22 Hornet	*22H1	45 O.P.E.	6½	2	34	$11.20
	*22H2	46 O.P.E.	6½	2	34	$11.20
.22—250	222501	55 P.S.P.	8½	1	43	$ 5.75
222 Remington	222R	50 P.S.P.	6½	1	28	$ 4.45
225 Winchester	2251	55 P.S.P.	8½	1	37	$ 5.40
243 Winchester (6mm)	2431	80 P.S.P.	8½	1	48	$ 5.95
	2432	10 Power Point (S.P.)	8½	1	50	$ 5.95
25-20 Winchester	*25201	86 Lubaloy	6½	2	49	$ 8.90
	*25202	86 S.P.	6½	2	49	$ 9.90
25-35 Winchester	2535	117 S.P.	8½	1	46	$ 6.25
250 Savage	2501	87 P.S.P.	8½	1	45	$ 6.75
	2503	100 Silvertip Exp.	8½	1	46	$ 6.75
257 Roberts	2571	87 P.S.P.	8½	1	48	$ 7.45
	2572	100 Silvertip Exp.	8½	1	49	$ 7.45
	2573	117 Power Point (S.P.)	8½	1	51	$ 7.45
[illegible]264 Win. Mag.	2641	100 P.S.P.	8½	1	66	$ 8.00
	2642	140 Power Point (S.P.)	8½	1	70	$ 8.00
270 Winchester	2701	100 P.S.P.	8½	1	55	$ 8.00
	2703	130 Silvertip Exp.	8½	1	59	$ 6.45
	2704	150 Power Point (S.P.)	8½	1	62	$ 6.45
	2705	130 Power Point (S.P.)	8½	1	59	$ 8.00

*50 PER BOX—ALL OTHERS 20 PER BOX

CENTREFIRE RIFLE CARTRIDGES (Cont'd)

Cartridge	Symbol	Bullet (Gr.)	Primer Number	Cartridges Per Box	Case Weight—Lbs.	Sugg. Retail Per Box
284 Winchester	**2841**	125 Power Point (S.P.)	8½	1	59	$ 6.4
	2842	150 Power Point (S.P.)	8½	1	62	$ 6.45
7MM Mauser (7x57)	**7MM**	175 S.P.	8½	1	61	$ 8.00
7MM Rem. Mag.	**7MMR1**	150 Power Point (S.P.)	8½	1	73	$ 8.00
	7MMR2	175 Power Point (S.P.)	8½	1	78	$ 8.00
30 Carbine	***W30M1**	110 H.S.P.	116	2	60	$12.65
30-30 Winchester	**30301**	150 O.P.E.	8½	1	51	$ 6.30
	30302	150 Silvertip Exp.	8½	1	51	$ 5.20
	30303	170 Power Point (S.P.)	8½	1	54	$ 5.20
	30304	170 Gr. Silvertip Exp.	8½	1	54	$ 5.20
	30306	150 Power Point (S.P.)	8½	1	51	$ 6.30
30 Rem.	**30R2**	170 Silvertip Exp.	8½	1	52	$ 6.35
30-06 Sprgfd.	**30060**	110 P.S.P.	8½	1	57	$ 8.00
	30061	150 Power Point (S.P.)	8½	1	62	$ 6.45
	30062	125 P.S.P.	8½	1	58	$ 8.00
	30063	150 Silvertip Exp.	8½	1	62	$ 6.45
	30064	180 Power Point (S.P.)	8½	1	66	$ 6.45
	30066	180 Silvertip Exp.	8½	1	66	$ 6.45
	30068	220 Power Point (S.P.)	8½	1	71	$ 8.00
	30069	220 Silvertip Exp.	8½	1	71	$ 6.45
30-06 Sprgfd. Supermatch	**3006SM1**	180 F.M.C. B.T.	8½	1	66	$10.15
30-40 Krag.	**30401**	180 Power Point (S.P.)	8½	1	64	$ 8.00
	30403	180 Silvertip Exp.	8½	1	64	$ 8.00
	30404	220 Silvertip Exp.	8½	1	70	$ 8.00
300 Winchester Magnum	**30WM1**	150 Power Point (S.P.)	8½	1	74	$ 8.05
	30WM2	180 Power Point (S.P.)	8½	1	78	$ 8.05
	30WM3	220 Silvertip Exp.	8½	1	83	$ 8.05
300 H & H Magnum	**300H1**	150 Silvertip Exp.	8½	1	73	$10.10
	300H2	180 Silvertip Exp.	8½	1	78	$10.
	300H3	220 Silvertip Exp.	8½	1	83	$10.
300 Savage	**3001**	150 Power Point (S.P.)	8½	1	55	$ 7.75
	3003	150 Silvertip Exp.	8½	1	55	$ 6.35
	3004	180 Power Point (S.P.)	8½	1	59	$ 7.75
	3005	180 Silvertip Exp.	8½	1	59	$ 6.35
303 Savage	**3032**	190 Silvertip Exp.	8½	1	57	$ 6.95
303 British	**W303B1**	180 Power Point (S.P.)	120	1	61	$ 6.45
308 Winchester	**3081**	110 P.S.P.	8½	1	51	$ 8.00
	3087	125 P.S.P.	8½	1	53	$ 6.45
	3085	150 Power Point (S.P.)	8½	1	57	$ 6.45
	3082	150 Silvertip Exp.	8½	1	57	$ 6.45
	3086	180 Power Point (S.P.)	8½	1	61	$ 6.45
	3083	180 Silvertip Exp.	8½	1	61	$ 6.45
	3084	200 Silvertip Exp.	8½	1	63	$ 6.45
32 Winchester Special	**32WS2**	170 Power Point (S.P.)	8½	1	55	$ 6.45
	32WS3	170 Silvertip Exp.	8½	1	55	$ 5.35
32 Remington	**32R2**	170 Silvertip Exp.	8½	1	52	$ 6.55
32-20 Winchester	***32201**	100 Lubaloy (Oil Proof)	6½	2	53	$ 8.90
	***32202**	100 S.P. (Oil Proof)	6½	2	53	$11.10
8MM Mauser	**W8MM**	170 Power Point (S.P.)	120	1	62	$ 8.00
338 Winchester Magnum	**3381**	200 Power Point (S.P.)	8½	½	40	$10.55
	3382	250 Silvertip Exp.	8½	½	43	$10.55
	3383	300 Power Point (S.P.)	8½	½	46	$10.55
348 Winchester	**W3482**	200 Silvertip Exp.	120	½	38	$ 9.60
35 Remington	**35R1**	200 Power Point (S.P.)	8½	1	62	$ 7.20
	35R3	200 Silvertip Exp.	8½	1	62	$ 7.20
351 Winchester Self-Loading	***351SL2**	180 S.P. (Oil Proof)	6½	2	87	$13
358 Winchester (8.8mm)	**3581**	200 Silvertip Exp.	8½	1	66	$ 8.
	3582	250 Silvertip Exp.	8½	1	73	$ 8.35
375 H & H Magnum	**375H1**	270 Power Point (S.P.)	8½	½	46	$10.95
	375H2	300 Silvertip Exp.	8½	½	48	$10.95
	W375H3	300 F.M.C.	120	½	48	$10.95

*50 PER BOX—ALL OTHERS 20 PER BOX

CENTREFIRE RIFLE CARTRIDGES (Cont'd)

Cartridge	Symbol	Bullet (Gr.)	Primer Number	Cartridges Per Box	Case Weight—Lbs.	Sugg. Retail Per Box
38-40 Winchester	***3840**	180 S.P. (Oil Proof)	7	1	46	$13.20
44-40 Winchester	***4440**	200 S.P. (Oil Proof)	7	1	49	$13.85
45-70 Government	**W4570**	405 S.P.	120	½	46	$ 8.50
458 Winchester Magnum	**W4580**	500 F.M.C.	120	½	60	$20.40
	W4581	510 S.P.	120	½	61	$13.45

CENTREFIRE PISTOL CARTRIDGES

Cartridge	Symbol	Bullet (Gr.)	Primer Number	Cartridges Per Box	Case Weight—Lbs.	Sugg. Retail Per Box
25 Automatic (6.35mm)	***25AP**	50 F.M.C.	1½	5	62	$ 7.05
256 Winchester Magnum	***2561P**	60 O.P.E.	6½	2	49	$10.95
30 Luger (7.65mm)	***30LP**	93 F.M.C.	1½	2	49	$ 9.80
32 Automatic	***32AP**	71 F.M.C.	1½	2	37	$ 8.05
32 Smith & Wesson	***32SWP**	85 Lubaloy	1½	2	40	$ 6.15
32 Smith & Wesson Long	***32SWLP**	98 Lubaloy	1½	2	46	$ 6.45
32 Short Colt	***32SCP**	80 Lubaloy	1½	2	38	$ 6.15
32 Long Colt	***32LCP**	82 Lubaloy	1½	2	40	$ 6.45
32 Colt New Police	***W32CNP**	98 Lead	108	2	46	$ 6.55
357 Magnum	***3571P**	158 Lubaloy	1½	2	77	$ 9.10
357 Magnum Metal Piercing	***3572P**	158 Metal Piercing	1½	2	77	$10.40
9MM Luger (Parabellum)	***W9LP**	115 F.M.C.	108	2	53	$10.10
38 Smith & Wesson	***38SWP**	145 Lubaloy	1½	2	63	$ 6.35
38 Special	***38S1P**	158 Lubaloy	1½	2	68	$ 6.35
	***38S2P**	158 Metal Point	1½	2	68	$ 9.65
	***38S3P**	200 Lubaloy	1½	2	80	$ 8.10
38 Special Super X	***38S4P**	150 Lubaloy	1½	2	67	$ 8.25
	***38S5P**	150 Metal Piercing	1½	2	67	$ 9.85
38 Special Super Match	***38SMRP**	148 Lead Mid-Range	1½	2	66	$ 6.60
	***38SMP**	158 Lead	1½	2	68	$ 7.95
38 Short Colt	***38SCP**	130 Lubaloy	1½	2	57	$ 6.85
38 Long Colt	***38LCP**	150 Lubaloy	1½	2	65	$ 7.60
38 Automatic Super X	***38A1P**	130 F.M.C.	1½	2	61	$ 8.55
	***38A2P**	130 F.M.C.	1½	2	61	$ 8.55
	***380AP**	95 F.M.C.	1½	2	44	$ 8.25
44 Smith & Wesson Special	***W44SP**	246 Lead	111	1	55	$10.35
44 Magnum Super X	***44MP**	240 Lubaloy Gas Check	7	1	57	$13.70
	44MHSP	240 H.S.P.	7	1	58	$ 5.65
45 Colt	***45CP**	255 Lubaloy	7	1	57	$10.35
45 Automatic	***45A1P**	230 F.M.C.	7	1	48	$11.05
45 Automatic Super Match	***45AWCP**	185 F.M.C. (Clean cutting)	7	1	42	$11.50
	***45AMRP**	210 Lead (Clean cutting)	7	1	45	$11.50

CENTREFIRE BLANK CARTRIDGES

32 Smith & Wesson	***W32BL1P**	No Bullet—Smokeless	108	5	36	$ 5.45
	***W32BL2P**	No Bullet—Black Powder	108	5	40	$ 5.45
38 Smith & Wesson	***W38BLP**	No Bullet—Smokeless	108	2	22	$ 5.60
38 Special	***W38SBLP**	No Bullet—Smokeless	108	2	24	$ 7.65

WINCHESTER WESTERN STEEL AIR RIFLE SHOT

Air Rifle Shot	**WW2002**	Steel Air Rifle Shot	—	100 tubes/ case	16½	$0.20

*50 PER BOX—ALL OTHERS 20 PER BOX

Winchester-Western.

Rim Fire–Center Fire Ballistics.

CENTER FIRE RIFLE CARTRIDGES

Cartridge	Range	Velocity		Energy		Mid-Range Trajectory	
	yds/m	fps	m-sec	ft. lbs	m-kg	in	cm
218 Bee	*	2860	872	835	115	—	
OPE, HP	100	2160	641	475	62	0.7	2.2
46 gr	200	1610	464	265	33	3.8	12.3
3.0 gm	300	1200	338	145	16	11.5	37.6
22 Hornet	*	2690	820	720	100	—	
SP	100	2030	602	410	54	0.8	2.5
45 gr	200	1510	436	230	29	4.3	13.9
2.9 gm	300	1150	329	130	15	13.0	42.5
22 Hornet	*	2690	820	740	102	—	
OPE, HP	100	2030	602	420	55	0.8	2.5
46 gr	200	1510	436	235	29	4.3	13.9
3.0 gm	300	1150	329	135	16	13.0	42.5
22-250	*	3810	1199	1770	245	—	
PSP	100	3270	1014	1300	175	0.3	1.1
55 gr	200	2770	845	935	122	1.6	5.2
3.6 gm	300	2320	694	655	82	4.4	14.3
222 Rem.	*	3200	975	1140	158	—	
PSP	100	2660	796	785	105	0.5	1.5
50 gr	200	2170	636	520	66	2.5	7.9
3.2 gm	300	1750	502	340	42	7.0	22.5
225 Win.	*	3650	1113	1630	225	—	
PSP	100	3140	943	1200	161	0.4	1.2
55 gr	200	2680	792	875	114	1.8	5.6
3.6 gm	300	2270	660	630	79	4.8	15.3
243 Win. (6mm)	*	3500	1067	2180	301	—	
PSP	100	3080	928	1690	228	0.4	1.2
80 gr	200	2720	810	1320	174	1.8	5.6
5.2 gm	300	2410	710	1030	132	4.7	14.9
243 Win. (6mm)	*	3070	936	2090	289	—	
PP, SP	100	2790	843	1730	235	0.5	1.5
100 gr	200	2540	761	1430	191	2.2	6.8
6.5 gm	300	2320	690	1190	157	5.5	17.2
25-20 Win.	*	1460	445	405	56	—	
L., LEAD	100	1180	354	265	35	2.6	8.1
86 gr	200	1030	308	200	27	12.5	39.0
5.6 gm	300	940	279	170	22	32.0	100.4
25-20 Win.	*	1460	445	405	56	—	
SP	100	1180	354	265	35	2.6	8.1
86 gr	200	1030	308	200	27	12.5	39.0
5.6 gm	300	940	279	170	22	32.0	100.4
25-35 Win.	*	2300	701	1370	189	—	
SP	100	1910	572	945	126	1.0	3.0
117 gr	200	1600	472	665	86	4.6	14.5
7.6 gm	300	1340	388	465	57	12.5	39.9
250 Savage	*	3030	924	1770	245	—	
PSP	100	2660	801	1370	185	0.6	1.8
87 gr	200	2330	693	1050	138	2.5	7.8
5.6 gm	300	2060	609	820	107	6.4	20.2
250 Savage	*	2820	860	1760	243	—	
ST, EXP	100	2460	740	1340	181	0.6	1.9
100 gr	200	2140	636	1020	134	2.9	9.0
6.5 gm	300	1870	550	775	99	7.4	23.2

Cartridge	Range	Velocity		Energy		Mid-Range Trajectory	
	yds/m	fps	m-sec	ft. lbs	m-kg	in	cm
256 Win. Mag.	*	2800	853	1040	144	—	
OPE	100	2070	614	570	75	0.8	2.4
60 gr	200	1570	456	330	42	4.0	12.9
3.9 gm	300	1220	347	200	23	12.0	39.2
257 Roberts	*	3200	975	1980	274	—	
PSP	100	2840	856	1560	211	0.5	1.5
87 gr	200	2500	744	1210	159	2.2	6.9
5.6 gm	300	2190	643	925	118	5.7	18.0
257 Roberts	*	2900	884	1870	259	—	
ST, EXP	100	2540	764	1430	193	0.6	1.8
100 gr	200	2210	656	1080	142	2.7	8.4
6.5 gm	300	1920	563	820	106	7.0	22.1
257 Roberts	*	2650	808	1820	252	—	
PP, SP	100	2280	685	1350	181	0.7	2.2
117 gr	200	1950	578	985	129	3.4	10.6
7.6 gm	300	1690	498	740	96	8.8	27.7
264 Win. Mag.	*	3700	1128	3040	420	—	
PSP	100	3260	982	2360	319	0.4	1.2
100 gr	200	2880	858	1840	243	1.6	5.0
6.5 gm	300	2550	751	1440	186	4.2	13.4
264 Win. Mag.	*	3200	975	3180	440	—	
PP, SP	100	2940	889	2690	366	0.5	1.5
140 gr	200	2700	810	2270	304	2.0	6.2
9.1 gm	300	2480	738	1910	251	4.9	15.3
270 Win.	*	3480	1061	2690	372	—	
PSP	100	3070	925	2090	282	0.4	1.2
100 gr	200	2690	799	1600	210	1.8	5.6
6.5 gm	300	2340	685	1215	156	4.8	15.3
270 Win.	*	3140	957	2850	394	—	
PP, SP	100	2880	871	2390	325	0.5	1.5
130 gr	200	2630	788	2000	267	2.1	6.5
8.4 gm	300	2400	713	1660	217	5.3	16.6
270 Win.	*	3140	957	2850	394	—	
ST, EXP	100	2850	861	2340	318	0.5	1.5
130 gr	200	2580	771	1920	256	2.1	6.5
8.4 gm	300	2320	685	1550	200	5.3	16.6
270 Win.	*	2900	884	2800	387	—	
PP, SP	100	2620	791	2290	311	0.6	1.8
150 gr	200	2380	713	1890	252	2.5	7.7
9.7 gm	300	2160	640	1550	202	6.3	19.8
284 Win.	*	3200	975	2840	393	—	
PP, SP	100	2880	869	2300	312	0.5	1.5
125 gr	200	2590	773	1860	247	2.1	6.5
8.1 gm	300	2310	680	1480	191	5.3	16.6
284 Win.	*	2900	884	2800	387	—	
PP, SP	100	2620	791	2290	311	0.6	1.8
150 gr	200	2380	713	1890	252	2.5	7.7
9.7 gm	300	2160	640	1550	202	6.3	19.8
7mm Mauser (7x57)	*	2490	759	2410	333	—	
SP	100	2170	653	1830	247	0.8	2.5
175 gr	200	1900	565	1400	185	3.7	11.5
11.3 gm	300	1680	496	1100	143	9.5	29.9

CENTER FIRE RIFLE CARTRIDGES

Cartridge	Range	Velocity		Energy		Mid-Range Trajectory	
	yds/m	fps	m-sec	ft. lbs	m-kg	in	cm
7mm Rem. Mag.	*	3260	994	3540	490	—	
PP, SP	100	2970	897	2940	400	0.4	1.3
150 gr	200	2700	808	2430	324	2.0	6.2
9.7 gm	300	2450	726	1990	259	4.9	15.1
7mm Rem. Mag.	*	3070	936	3660	506	—	
PP, SP	100	2720	819	2870	388	0.5	1.6
175 gr	200	2400	715	2240	296	2.4	7.5
11.3 gm	300	2120	625	1750	226	6.1	19.1
30 Carbine	*	1980	604	955	132	—	
HSP	100	1540	459	575	76	1.4	4.4
110 gr	200	1230	361	370	48	7.5	24.0
7.1 gm	300	1040	307	260	33	21.7	70.1
30-30 Win.	*	2410	735	1930	267	—	
OPE, HP	100	2020	606	1360	182	0.9	2.8
150 gr	200	1700	502	960	124	4.2	13.1
9.7 gm	300	1430	415	680	85	11.0	34.8
30-30 Win.	*	2410	735	1930	267	—	
PP, SP	100	2020	606	1360	182	0.9	2.8
150 gr	200	1700	502	960	124	4.2	13.1
9.7 gm	300	1430	415	680	85	11.0	34.8
30-30 Win.	*	2410	735	1930	267	—	
ST, EXP	100	2020	606	1360	182	0.9	2.8
150 gr	200	1700	502	960	124	4.2	13.1
9.7 gm	300	1430	415	680	85	11.0	34.8
30-30 Win.	*	2220	677	1860	257	—	
PP, SP	100	1890	568	1350	181	1.2	3.5
170 gr	200	1630	484	1000	131	4.6	14.4
11.0 gm	300	1410	412	750	95	12.5	40.2
30-30 Win.	*	2220	677	1860	257	—	
ST, EXP	100	1890	568	1350	181	1.2	3.5
170 gr	200	1630	484	1000	131	4.6	14.4
11.0 gm	300	1410	412	750	95	12.5	40.2
30-30 Win.	*	2220	677	1860	257	—	
FMC	100	1890	568	1350	181	1.2	3.5
170 gr	200	1630	484	1000	131	4.6	14.4
11.0 gm	300	1410	412	750	95	12.5	40.2
30 Rem.	*	2120	646	1700	235	—	
ST, EXP	100	1820	547	1250	168	1.1	3.4
170 gr	200	1560	462	920	120	5.3	16.6
11.0 gm	300	1350	397	690	89	14.0	44.3
30-06 Spgfld.	*	3370	1027	2770	383	—	
PSP	100	2830	848	1960	262	0.5	1.5
110 gr	200	2350	691	1350	174	2.2	6.9
7.1 gm	300	1920	551	900	110	6.0	19.2
30-06 Spgfld.	*	3200	975	2840	393	—	
PSP	100	2810	846	2190	296	0.5	1.5
125 gr	200	2480	739	1710	226	2.2	6.8
8.1 gm	300	2200	649	1340	173	5.6	17.6
30-06 Spgfld.	*	2970	905	2930	405	—	
PP, SP	100	2620	789	2280	308	0.6	1.8
150 gr	200	2300	684	1760	232	2.5	7.8
9.7 gm	300	2010	589	1340	171	6.5	20.6
30-06 Spgfld.	*	2970	905	2930	405	—	
ST, EXP	100	2670	806	2370	321	0.6	1.8
150 gr	200	2400	716	1920	255	2.4	7.4
9.7 gm	300	2130	625	1510	193	6.1	19.2
30-06 Spgfld.	*	2700	823	2910	402	—	
PP, SP	100	2330	700	2170	292	0.7	2.1
180 gr	200	2010	596	1610	211	3.1	9.7
11.7 gm	300	1740	510	1210	155	8.3	26.5
30-06 Spgfld.	*	2700	823	2910	402	—	
ST, EXP	100	2470	746	2440	332	0.7	2.1
180 gr	200	2250	674	2020	269	2.9	8.9
11.7 gm	300	2040	604	1660	217	7.0	21.7
★ 30-06 Spgfld.	*	2700	823	2910	402	—	
FMCBT	100	2520	763	2540	347	0.6	1.9
180 gr	200	2350	707	2200	296	2.8	8.6
11.7 gm	300	2190	654	1900	252	6.7	20.6
30-06 Spgfld.	*	2700	823	2910	402	—	
FMCBT	100	2520	763	2540	347	0.6	1.9
180 gr	200	2350	707	2200	296	2.8	8.6
11.7 gm	300	2190	654	1900	252	6.7	20.6
30-06 Spgfld.	*	2410	735	2830	391	—	
PP, SP	100	2120	638	2190	296	0.8	2.5
220 gr	200	1870	557	1710	226	3.9	12.1
14.3 gm	300	1670	495	1360	177	9.8	30.6
30-06 Spgfld.	*	2410	735	2830	391	—	
ST, EXP	100	2180	658	2320	315	0.8	2.5
220 gr	200	1980	593	1910	255	3.7	11.5
14.3 gm	300	1790	529	1560	203	9.2	28.7
30-40 Krag	*	2470	753	2440	337	—	
PP, SP	100	2120	637	1790	241	0.8	2.5
180 gr	200	1830	543	1340	176	3.8	11.9
11.7 gm	300	1590	466	1010	128	9.9	31.2
30-40 Krag	*	2470	753	2440	337	—	
ST, EXP	100	2250	680	2020	274	0.8	2.5
180 gr	200	2040	610	1660	221	3.5	10.8
11.7 gm	300	1850	549	1370	180	8.5	26.3
30-40 Krag	*	2200	671	2360	326	—	
ST, EXP	100	1990	601	1930	262	1.0	3.1
220 gr	200	1800	538	1580	211	4.4	13.6
14.3 gm	300	1630	483	1300	170	11.0	34.4
300 Win. Mag.	*	3400	1036	3850	532	—	
PP, SP	100	3050	920	3100	420	0.4	1.2
150 gr	200	2730	815	2480	329	1.9	5.9
9.7 gm	300	2430	716	1970	255	4.8	15.0
300 Win. Mag.	*	3070	936	3770	521	—	
PP, SP	100	2850	863	3250	443	0.5	1.5
180 gr	200	2640	793	2790	375	2.1	6.5
11.7 gm	300	2440	727	2380	314	5.3	16.6
300 Win. Mag.	*	2720	829	3620	501	—	
ST, EXP	100	2490	753	3030	412	0.6	1.9
220 gr	200	2270	680	2520	336	2.9	8.9
14.3 gm	300	2060	610	2070	270	6.9	21.2
300 H&H Mag.	*	3190	972	3390	469	—	
ST, EXP	100	2870	866	2740	372	0.5	1.5
150 gr	200	2580	770	2220	295	2.1	6.5
9.7 gm	300	2300	677	1760	226	5.2	16.2
300 H&H Mag.	*	2920	890	3400	470	—	
ST, EXP	100	2670	807	2850	388	0.6	1.8
180 gr	200	2440	731	2380	318	2.4	7.4
11.7 gm	300	2220	658	1970	258	5.8	18.0
300 H&H Mag.	*	2620	799	3350	463	—	
ST, EXP	100	2370	716	2740	372	0.7	2.1
220 gr	200	2150	643	2260	301	3.1	9.6
14.3 gm	300	1940	573	1840	238	7.7	24.0
300 Savage	*	2670	814	2370	328	—	
PP, SP	100	2350	708	1840	248	0.7	2.2
150 gr	200	2060	612	1410	185	3.2	9.9
9.7 gm	300	1800	528	1080	139	8.0	25.0

★ Super-Match — Wimbledon Cup.

CENTER FIRE RIFLE CARTRIDGES

Cartridge	Range	Velocity		Energy		Mid-Range Trajectory	
	yds/m	fps	m-sec	ft. lbs	m-kg	in	cm
300 Savage	*	2670	814	2370	328	—	
ST, EXP	100	2390	721	1900	257	0.7	2.1
150 gr	200	2130	635	1510	200	3.0	9.3
9.7 gm	300	1890	557	1190	154	7.6	23.9
300 Savage	*	2370	722	2240	310	—	
PP, SP	100	2040	613	1660	223	0.9	2.8
180 gr	200	1760	522	1240	162	4.1	12.8
11.7 gm	300	1520	445	920	116	10.5	33.0
300 Savage	*	2370	722	2240	310	—	
ST, EXP	100	2160	653	1860	253	0.9	2.7
180 gr	200	1960	586	1530	204	3.7	11.4
11.7 gm	300	1770	524	1250	163	9.2	28.8
303 Savage	*	1980	604	1650	228	—	
ST, EXP	100	1680	504	1190	160	1.3	4.0
190 gr	200	1440	427	875	115	6.2	19.3
12.3 gm	300	1250	367	660	85	15.5	48.3
303 British	*	2540	774	2580	357	—	
PP, SP	100	2300	695	2120	288	0.7	2.2
180 gr	200	2090	626	1750	233	3.3	10.2
11.7 gm	300	1900	564	1440	188	8.2	25.5
308 Win.	*	3340	1018	2730	378	—	
PSP	100	2810	842	1930	258	0.5	1.5
110 gr	200	2340	688	1340	173	2.2	6.9
7.1 gm	300	1920	552	900	110	6.0	19.2
308 Win.	*	3100	945	2670	369	—	
PSP	100	2740	826	2080	281	0.5	1.5
125 gr	200	2430	724	1640	217	2.3	7.2
8.1 gm	300	2160	637	1300	168	5.9	18.5
308 Win.	*	2860	872	2730	378	—	
PP, SP	100	2520	759	2120	286	0.6	1.8
150 gr	200	2210	657	1630	214	2.7	8.4
9.7 gm	300	1930	566	1240	158	7.0	22.1
308 Win.	*	2860	872	2730	378	—	
ST, EXP	100	2570	775	2200	298	0.6	1.8
150 gr	200	2300	686	1760	233	2.6	8.1
9.7 gm	300	2050	605	1400	181	6.5	20.3
308 Win.	*	2610	796	2720	376	—	
PP, SP	100	2250	676	2020	272	0.7	2.2
180 gr	200	1940	575	1500	196	3.4	10.6
11.7 gm	300	1680	493	1130	145	8.9	28.1
308 Win.	*	2610	796	2720	376	—	
ST, EXP	100	2390	722	2280	310	0.8	2.4
180 gr	200	2170	649	1870	249	3.1	9.5
11.7 gm	300	1970	585	1540	203	7.4	23.0
308 Win.	*	2450	747	2670	369	—	
ST, EXP	100	2210	667	2170	294	0.8	2.5
200 gr	200	1980	591	1750	232	3.6	11.2
13.0 gm	300	1770	523	1400	182	9.0	28.1
32 Win. Spec.	*	2280	695	1960	271	—	
PP, SP	100	1870	560	1320	176	1.0	3.1
170 gr	200	1560	461	920	120	4.8	15.1
11.0 gm	300	1330	389	665	84	13.0	41.4
32 Win. Spec.	*	2280	695	1960	271	—	
ST, EXP	100	1870	560	1320	176	1.0	3.1
170 gr	200	1560	461	920	120	4.8	15.1
11.0 gm	300	1330	389	665	84	13.0	41.4
32 Rem.	*	2120	646	1700	235	—	
ST, EXP	100	1760	527	1170	156	1.1	3.4
170 gr	200	1460	430	805	104	5.3	16.7
11.0 gm	300	1220	355	560	70	14.5	46.3

Cartridge	Range	Velocity		Energy		Mid-Range Trajectory	
	yds/m	fps	m-sec	ft. lbs	m-kg	in	cm
32-20 Win.	*	1290	393	370	51	—	
0, L, LEAD	100	1060	319	250	34	3.3	
100 gr	200	940	281	195	26	15.5	
6.5 gm	300	840	245	155	19	38.0	117.8
32-20 Win.	*	1290	393	370	51	—	
0, SP	100	1060	319	250	34	3.3	10.3
100 gr	200	940	281	195	26	15.5	48.0
6.5 gm	300	840	245	155	19	38.0	117.8
8mm Mauser	*	2570	783	2490	344	—	
(8x57; 7.9) PP, SP	100	2140	641	1730	231	0.8	2.5
170 gr	200	1790	528	1210	157	3.9	12.3
11.0 gm	300	1520	445	870	110	10.5	33.4
338 Win. Mag.	*	3000	914	4000	553	—	
PP, SP	100	2690	811	3210	435	0.5	1.6
200 gr	200	2410	720	2580	343	2.4	7.5
13.0 gm	300	2170	643	2090	273	6.0	18.7
338 Win. Mag.	*	2700	823	4050	560	—	
ST, EXP	100	2430	733	3280	445	0.7	2.1
250 gr	200	2180	651	2640	350	3.0	9.3
16.2 gm	300	1940	571	2090	269	7.4	23.1
338 Win. Mag.	*	2450	747	4000	553	—	
PP, SP	100	2160	651	3110	420	0.8	2.5
300 gr	200	1910	569	2430	321	3.7	11.5
19.4 gm	300	1690	498	1900	245	9.5	29.9
348 Win.	*	2530	771	2840	393	—	
ST, EXP	100	2220	668	2190	295	0.7	2.2
200 gr	200	1940	576	1670	219	3.6	11.2
13.0 gm	300	1680	490	1250	158	9.0	28.0
35 Rem.	*	2100	640	1950	270	—	
PP, SP	100	1710	511	1300	173	1.2	
200 gr	200	1390	408	860	110	6.0	19.0
13.0 gm	300	1160	340	605	78	16.5	52.7
35 Rem.	*	2100	640	1950	270	—	
ST, EXP	100	1710	511	1300	173	1.2	3.7
200 gr.	200	1390	408	860	110	6.0	19.0
13.0 gm	300	1160	340	605	78	16.5	52.7
351 Win. (S-L)	*	1850	564	1370	189	—	
0, SP	100	1560	468	975	130	1.5	4.7
180 gr	200	1310	387	685	89	7.8	24.7
11.7 gm	300	1140	339	520	69	21.5	68.7
351 Win. (S-L)	*	1850	564	1370	189	—	
0, FMC	100	1560	468	975	130	1.5	4.7
180 gr	200	1310	387	685	89	7.8	24.7
11.7 gm	300	1140	339	520	69	21.5	68.7
358 Win. (8.8mm)	*	2530	771	2840	393	—	
ST, EXP	100	2210	665	2160	291	0.8	2.4
200 gr	200	1910	566	1610	210	3.6	11.2
13.0 gm	300	1640	479	1190	151	9.4	29.7
358 Win. (8.8mm)	*	2250	686	2810	389	—	
ST, EXP	100	2010	606	2230	302	1.0	3.1
250 gr	200	1780	530	1760	233	4.4	13.6
16.2 gm	300	1570	462	1370	176	11.0	34.4
375 H&H Mag.	*	2740	835	4500	622	—	
PP, SP	100	2460	742	3620	491	0.7	2.1
270 gr	200	2210	660	2920	388	2.9	
17.5 gm	300	1990	589	2370	310	7.1	
375 H & H Mag.	*	2550	777	4330	599	—	
ST (EXP)	100	2280	688	3460	469	0.7	2.2
300 gr	200	2040	609	2770	368	3.3	10.3
19.4 gm	300	1830	541	2230	291	8.3	25.9

CENTER FIRE RIFLE CARTRIDGES

Cartridge	Range	Velocity		Energy		Mid-Range Trajectory	
	yds/m	fps	m-sec	ft. lbs	m-kg	in	cm
H & H Mag.	*	2550	777	4330	599	—	
FMC	100	2180	655	3160	424	0.7	2.2
300 gr	200	1860	550	2300	300	3.6	11.3
19.4 gm	300	1590	464	1680	213	9.3	29.2
38-40 Win.	*	1330	405	705	98	—	
0, SP	100	1070	322	455	61	3.2	10.0
180 gr	200	960	288	370	50	15.0	46.4
11.7 gm	300	850	243	290	34	36.5	112.9
38-55 Win.	*	1320	402	985	136	—	
SP	100	1160	350	760	103	2.9	8.9
255 gr	200	1050	316	625	84	13.0	40.2
16.5 gm	300	1000	304	565	77	32.0	99.5
44 Mag.	*	1750	533	1630	225	—	
HSP	100	1350	402	970	128	1.8	5.6
240 gr	200	1090	322	635	83	9.4	29.8
15.6 gm	300	950	283	480	62	26.0	83.1

Cartridge	Range	Velocity		Energy		Mid-Range Trajectory	
	yds/m	fps	m-sec	ft. lbs	m-kg	in	cm
44-40 Win.	*	1310	399	760	105	—	
0, SP	100	1050	316	490	66	3.3	10.2
200 gr	200	940	282	390	52	15.0	46.3
13.0 gm	300	830	237	305	36	36.5	113.0
45-70 Gov't.	*	1320	402	1570	217	—	
SP	100	1160	350	1210	164	2.9	8.9
405 gr	200	1050	315	990	133	13.0	40.3
26.2 gm	300	990	299	880	120	32.5	101.5
458 Win. Mag.	*	2130	649	5040	697	—	
FMC	100	1910	576	4050	548	1.1	3.4
500 gr	200	1700	507	3210	425	4.8	14.9
32.4 gm	300	1520	450	2570	336	12.0	37.5
458 Win. Mag.	*	2130	649	5140	711	—	
SP	100	1840	553	3830	516	1.1	3.4
510 gr	200	1600	475	2900	381	5.1	16.0
33.1 gm	300	1400	411	2220	284	13.5	42.8

CENTER FIRE PISTOL AND REVOLVER CARTRIDGES

Cartridge	Bullet Weight		Barrel Length		Muzzle Velocity		Muzzle Energy	
	gr	gm	in	cm	fps	m-sec	ft lbs	m-kg
rtridge								
25 Auto. (6.35mm) 0, FMC	50	3.2	2	5.1	810	247	73	10.1
256 Win. Magnum Super-X OPE	60	3.9	8½	21.6	2350	716	735	101.6
30 Luger (7.65mm) 0, FMC	93	6.0	4½	11.4	1220	372	305	42.2
32 Automatic 0, FMC	71	4.6	4	10.2	960	293	145	20.0
32 S & W 0, IL, L, Lead	85	5.5	3	7.6	680	207	90	12.4
32 S & W Long 0, IL, L, Lead	98	6.3	4	10.2	705	215	115	15.9
32 Short Colt 0, Greased, L	80	5.2	4	10.2	745	227	100	13.8
32 Long Colt 0, IL, L	82	5.3	4	10.2	755	230	105	14.5
32 Colt New Police 0, IL, Lead	98	6.3	4	10.2	680	207	100	13.8
32-20 Winchester 0, IL, L, Lead	100	6.5	6	15.2	1030	314	235	32.5
32-20 Winchester 0, SP	100	6.5	6	15.2	1030	314	235	32.5
g. Super-X 0, IL, L	158	10.2	8⅜	22.2	1410	430	695	96.1
357 Mag. Met. Pierc. Super-X 0, IL, LB	158	10.2	8⅜	22.2	1410	430	695	96.1

Cartridge	Bullet Weight		Barrel Length		Muzzle Velocity		Muzzle Energy	
	gr	gm	in	cm	fps	m-sec	ft lbs	m-kg
9mm Luger (Parabellum) 0, FMC	115	7.4	4	10.2	1140	347	330	45.6
38 S & W 0, IL, L, Lead	145	9.4	4	10.2	685	209	150	20.7
38 Special 0, IL, L, Lead	158	10.2	6	15.2	855	261	255	35.3
38 Spec. Met. Pierc. 0, IL, LB, MPt	158	10.2	6	15.2	855	261	255	35.3
38 Spec. Super Police 0, IL, L, Lead	200	13.0	6	15.2	730	222	235	32.5
38 Spec. Super-X 0, IL, L	150	9.7	6	15.2	1060	323	375	51.9
38 Spec. Met. Pierc. Super-X, 0, IL, LB	150	9.7	6	15.2	1060	323	375	51.9
38 Spec. Super-Match & Match Mid-Range Clean Cutting 0, IL, Lead	148	9.6	6	15.2	770	235	195	27.0
38 Spec. Super-Match 0, IL, Lead	158	10.2	6	15.2	855	261	255	35.3
38 Short Colt 0, Greased, L	130	8.4	6	15.2	730	222	150	20.7

CENTER FIRE PISTOL AND REVOLVER CARTRIDGES

Cartridge	Bullet Weight gr	Bullet Weight gm	Barrel Length in	Barrel Length cm	Muzzle Velocity fps	Muzzle Velocity m-sec	Muzzle Energy ft lbs	Muzzle Energy m-kg
38 Long Colt O, IL, L	150	9.7	6	15.2	730	222	175	24.2
38 Auto. Super-X & Super Speed FMC (For use only in 38 Colt Super and Colt Commander Automatic Pistols)	130	8.4	5	12.7	1280	390	475	65.7
38 Automatic O, FMC (For all 38 Automatic Pistols)	130	8.4	4½	11.4	1040	317	310	42.9
380 Automatic O, FMC	95	6.2	3¾	9.5	955	291	190	26.3
38-40 Winchester O, SP	180	11.7	5	12.7	975	297	380	52.6
44 S & W Special O, IL, Lead	246	15.9	6½	16.5	755	230	310	42.9
44 Mag. Super-X (Gas Check) L	240	15.5	6½	16.5	1470	448	1150	159.0
44-40 Winchester O, SP	200	13.0	7½	19.0	975	297	420	
45 Colt O, IL, L, Lead	255	16.5	5½	14.0	860	262	410	56.7
45 Automatic O, FMC	230	14.9	5	12.7	850	259	370	51.2
45 Auto. Super-Match Clean Cutting O, Lead	210	13.6	5	12.7	710	216	235	32.5
45 Auto. Super-Match Clean Cutting FMC	185	12.0	5	12.7	775	236	245	33.9

RIM FIRE RIFLE CARTRIDGES

Cartridge	Range yds/m	Velocity fps	Velocity m-sec	Energy ft. lbs	Energy m-kg	Mid-Range Trajectory in	Mid-Range Trajectory cm
22 Short[1]	*	1125	343	81	11.2	—	
29 gr, 1.9 gm, L, K, W	100	920	275	54	7.2	4.3	13.0
22 Short H. P.[1]	*	1155	352	80	11.1	—	
27 gr, 1.7 gm, L, K, W	100	920	274	51	6.7	4.2	12.7
22 Long[1]	*	1240	378	99	13.7	—	
29 gr, 1.9 gm, L, K, W	100	965	286	60	7.8	3.8	11.5
22 Long Rifle[1]	*	1335	407	158	22.8	—	
40 gr, 2.6 gm, L, K, W	100	1045	311	97	12.7	3.3	10.0
22 Long Rifle H. P.[1]	*	1365	416	149	20.6	—	
37 gr, 2.4 gm, L, K, W	100	1040	308	86	11.3	3.3	10.0
22 WRF SUPER-X (22 Rem. Spl.)	*	1450	442	210	29.0	—	
45 gr, 2.9 gm, L, K	100	1110	329	123	16.1	2.7	8.1
22 Win. Mag. Rimfire[1]	*	2000	610	355	49.1	—	
40 gr, 2.6 gm, JHP	100	1390	410	170	22.2	1.6	4.8
22 Win. Mag.[1] **Rimfire**	*	2000	610	355	49.1	—	
40 gr, 2.6 gm, FMC	100	1390	410	170	22.2	1.6	4.8
22 Short[2]	*	1045	318	70	9.7	—	
29 gr, 1.9 gm, Lead, Lub	100	—	—	—	—	5.6	16.9
22 Long Rifle[2]	*	1145	349	116	16.0	—	
40 gr, 2.6 gm, Lead, Lub	100	975	293	84	11.3	4.0	12.1
22 Long Rifle[3]	*	1120	341	111	15.4		
40 gr, 2.6 gm, Lead, Lub	100	950	285	80	10.8	4.2	
22 Sh. Kant-Splash & Spatter-pruf (Gallery) 29 gr, 1.9 gm Disinteg., Lub	* 100	1045 —	318 —	70 —	9.7 —	— —	—
22 Sh. Super Kant-Splash Spatter-pruf (Gallery) 15 gr, 1.0 gm Disinteg., Lub	* 100	1710 —	521 —	97 —	13.4 —	— —	—
22 Win. Auto 45 gr, 2.9 gm, IL, L, K	* 100	1055 930	321 280	111 86	15.4 11.7	— 4.6	13.9

RIM FIRE PISTOL AND REVOLVER CARTRIDGES

Cartridge	Bullet Weight gr	Bullet Weight gm	Barrel Length in	Barrel Length cm	Muzzle Velocity fps	Muzzle Velocity m-sec	Muzzle Energy ft lbs	Muzzle Energy m-kg
22 Short[1] L, K, W	29	1.9	6	15.2	1035	315	69	9.5
22 Short[2] Lead, Lub	29	1.9	6	15.2	865	264	48	6.6
22 Long[1] L, K, W	29	1.9	6	15.2	1095	334	77	10.6
22 Long Rifle[1] L, K, W	40	2.6	6	15.2	1125	343	112	15.5
22 Long Rifle[2] Lead, Lub	40	2.6	6	15.2	950	289	80	11.1
22 Long Rifle[4] Lead, Lub	40	2.6	6¾	17.1	1060	323	100	13.8
22 Win. Mag. Rimfire[1] JHP	40	2.6	6½	16.5	1550	472	213	29.
22 Win. Mag. Rimfire[1] FMC	40	2.6	6½	16.5	1550	472	213	29.4

FOOTNOTES

SHOT SHELLS

Plastic/Mark 5 Symbol Numbers are in brown.
■ Paper—Not Mark 5
● Plastic—Not Mark 5
All loaded shells packed 25 to the carton; 500 to the case.

RIM FIRE AND CENTER FIRE CARTRIDGES

H.P. Hollow Point
Lub.—Lubricated
D—Disintegrating
S.P.—Soft Point
Exp.—Expanding

CENTER FIRE CARTRIDGE BALLISTICS

* —Muzzle
OPE—Open Point Expanding
HP—Hollow Point
SP—Soft Point
PSP—Pointed Soft Point
PP(SP)—Power-Point Soft Point
L—Lubaloy
ST—Silvertip
EXP—Expanding
HSP—Hollow Soft Point
FMC—Full Metal Case
FMCBT—Full Metal Case Boat Tail
O—Oilproof
IL—Inside Lubricated
LB—Lead Bearing
MPt—Metal Point

RIM FIRE RIFLE, PISTOL AND REVOLVER BALLISTICS

* —Muzzle
L—Lubaloy
K—Kopperklad
W—Wax Coated
JHP—Jacketed Hollow Point
LUB—Lubricated
FMC—Full Metal Case
1—Super-X
2—Xpert
3—Super-Match Mark III
4—Super-Match Mark IV

Winchester Trap and Skeet Equipment

SELF-LOADING ELECTRIC REGULATION TRAP

MODEL V1577A. Maximum convenience and optimum performance are yours with the Western Self-Loading Electric Regulation Trap. One man operation gives you the ultimate in operating economy and eliminates the inconvenience of waiting for trap boys. Once loaded, just a push of the button is all that is needed to throw the target, recock the trap and reload the throwing arm.

Immediate release and fast recovery enable this trap to keep up with the fastest squads. Target placement on the arm is mechanically precise assuring more uniform throws and less target breakage. Quick change-over from singles to doubles or vice-versa.

Easy, economical installation. No push-pull rods needed. Power and release cables plug into trap base and operate from 115 volt 60 cycle A.C. power source.

Rugged — no brake or belt tensions to adjust. Trap swivels on large adjustable ball bearing mechanism that runs in oil for long, reliable service. As trouble-free as a trap can be.

Safe — separate control unit, mounted outside trap house, provides maximum safety.





SELF-LOADING ELECTRIC SKEET TRAPS

MODEL V1574A. Most modern Skeet Traps available, the Western Self-Loading Electric Skeet Traps provide the utmost in operational economy. One man, reloading between rounds, operates an entire field by himself. Each trap holds a reserve of 75 targets, more than enough for a full squad.

Streamlined. The ruggedness of aluminum and steel. Automatically clears itself of accidentally broken targets in magazine or carrier.

Precision release from target to target assures more uniform performance. The Western Portable Electric Skeet Release is both waterproof and shockproof. The operator may follow the squad around the field in any kind of weather assuring that there are no missed calls. Master switch can be controlled by trap attendant for maximum safety.



MODEL V1504A. The **Western McCrea Master Trap** is a high quality, truly economical trap, unbeatable for simplicity, sturdiness, and target throwing efficiency. Simple to install, easy to load and operate.

Lightweight, inexpensive, easily portable — the **Western Practice Trap** gives you shotgun practice wherever and whenever you want it. Bolts to a sturdy plank (not furnished) or in fixed location. Manual cocking, lanyard release. Instantly adjustable for angles and elevations from zero to 45 degrees.

MODEL V1517A. The Self-Angling White Flyer Trap is geared to trapshooting demands. Throws singles or doubles with precision. Angles change automatically, spread equally over the field.

MODEL V1515A. Standard White Flyer Trap offers same ruggedness but angles are changed manually.

MODEL V1516A. Self-Angling Base Only. Self-angling base available separately. Can easily be installed on any White Flyer Trap in good condition.





MODEL V1524A. Rapid fire push button release with minimum cost is provided by the **Western White Flyer Electric Trap.** At the 1960 Grand American, 44 of these traps threw 1,572,000 (18 truckloads) White Flyer Targets without a delay. The same number of traps threw 1,450,500 White Flyer Targets in 1961 and 1,486,000 in 1962 without a single mechanical breakdown.

Easy, economical installation. No push-pull rods. Operates on 115 volt 60 cycle A.C. power source.

Simple hand adjustments for wind and elevation. Convenient master switch assures maximum safety. Trap automatically uncocks when power is shut off.



MODEL V1571A. Clipboard, release control head and wiring comprise the **Western Portable Electric Skeet Release.** May be plugged into the same connections on fields previously wired with the 3-wire system for the Instantaneous Electric Skeet Release. Also available complete with necessary field wiring and connections for new installati or converting fields with other than a 3-wire system.

MODEL V1500A. A gun, shells, targets and a **Western Hand Trap** are all you need for an afternoon of shooting fun. No limit to the variety of angles — slow and easy for beginners or fast flyers for experts... high over trees like ducks or skimming the grass like a scared rabbit. The same type of carrier as on the practice trap, gives positive control and rapid rotation for easy to break targets. Left hand traps are available on special order.





MODEL 1506A. The **Western MASTER non-electric Skeet Traps** are built with the same rugged dependability as the electric except that release is accomplished by a pull system of wires so simplified that even the most inexperienced putter can throw perfect doubles. Readjustment of pull wires is unnecessary even when changing trap elevation.

MODELS V1576A (DC), V1575A (AC). The **Western MASTER Electric Skeet Traps** are the answer to demands of skeet clubs for simplified and dependable equipment with the convenience of electric release.

An electric solenoid, mounted on the trap frame, gives positive releasing when you want it. Two wires to the scorer's table provide control. Complete unit includes two traps, with electric solenoids already mounted, release unit, all necessary wire and connections for 115 volt 60 cycle A.C. power — or 6 volt D.C. solenoids.

Western MASTER Skeet Traps deliver fast spinning gets that are easier to see and hit. Special type of carrier is an exclusive Western development that reduces friction and holds target breakdown to a minimum.

Winchester Super X Ammunition



Shotshells

Bag more ducks, deer, honkers, rabbits. The unique Mark 5 collar protects the pellets from pattern-destroying deformation when the round is fired. Only the collar, not the pellets, takes the punishment. More shot stays round. More shot stays in the pattern and more shot gets on target. That's Mark 5 performance —unmatched by any other game load on the market.

Centrefire

Professionals—big game hunters—depend on Winchester "Silvertip" and "Power Point". Cartridges scientifically engineered for high accuracy, controlled mushrooming, and peak residual energy. They've been pioneered, developed, and constantly improved to ensure you the best in performance where you need it most—in the field. Whatever your game—large or small—there's exactly the right "Super X" cartridge for you.

Rimfire

Good things come in small packages. Small in size but great in dependability and accuracy. When you want maximum impact and penetration you want Winchester "Super X". These powerful hunting bullets provide the ultimate in bullet expansion and instant stopping power. For target shooting or hunting load up with Winchester "Xpert" .22's—the best standard velocity ammunition ever fired at a target.

Sight in on Canadian-made Winchester—a name that stands for leadership through extensive research and testing. It signifies the finest ammunition you can buy. Try it—you'll never go back to ordinary brands.

WINCHESTER® CANADA
COBOURG, ONTARIO

Winchester (Canada) Ltd.
415 King Street West
Cobourg, Ontario
Canada

Printed in U.S.A.

WCAN/69